

Tufline®

2022



2022 Price Index

Effective Date 4.4.2022

Company Profile	1	TB25 TB30 TB40	15
Packaging Photos	2	Extra Capacity- PHB & CBS	16
Specialty Equipment		DS1 & DS1T	17
Row Disc Bedder	3	Tillers- RTC, RTM & RTR	18
Disc Plow	4	Pull Type Spreaders and ATV Disc	19
Spike Harrow	4		
3pt. Spreader	4	Lift Type Disc Harrows	
Subsoilers	5	Compact Models- TGE & TME	20
V Plow	6	Utility Models- THE	21
Cultipackers	7-8	TH	22
CPL & BCP	7	Optional Equipment- TGE, TME, THE & TH	23
DCP	8	Heavy Duty Models-TL43	24
High Capacity Carted Hay Rake: TVR	9	Optional Equipment TL43	25
Landscape Equipment		T4X	26
Landscape Rakes: LR1 & LR2	10	HL	27
Grader Blades- GB1, GB4, GB4HR	11	Optional Equipment -TL43, T4X & HL	28
GB5	12	3pt. Offset Disc- TLO	29
Land Planes- LP1, LP2 & LP3	13	LO40	30
Box Blades- BB0, TB1 & TB2	14	Optional Equipment-TLO & LO40	31
		Pull Type Disc TW5 & TW6	32-38
		Optional Equipment TW5	34-35
		Optional Equipment TW6	38
		Pull Type Offset Disc- 38 Series & 40 Series	39-44
		Optional Equipment	44
		MVT	45-46



Monroe Tufline has designed and manufactured a complete line of tillage and dirt working equipment since the company's founding in 1958. Monroe Tufline Manufacturing Company Inc., was founded by brothers, Joseph S. Perkins and J.C. Perkins in Columbus, MS with the purpose of building quality farm equipment. Joe and J.C. had both worked in another farm implement business before becoming the first two employees of Monroe Manufacturing which was located in a small garage on "river hill" in Columbus near the Tombigbee River. The name Monroe Manufacturing was chosen due to their first customer being located in neighboring Monroe County Mississippi. The business was incorporated on November 23, 1961. There was another company named Monroe Manufacturing, hence the name Tufline was created by Joe Perkins and added to Monroe. He said "Tufline" meant a tough line of equipment. The Tufline brand name was born and has become a well known brand and synonymous with quality in the industry.

Monroe Tufline operated on Highway 82 west of town for a few years until moving in 1964 to the present location on 2219 Tufline Lane, just off Highway 45 North in Columbus. Many building additions and product additions occurred over the years as the business grew. The Monroe Mister sprayer was among one of the first products produced as were three point disc harrows, which was the primary product for many years until many new product offerings were introduced in the early 80's and beyond. A big addition to the product offering was box blades and grader blades which were the first products in Tufline's expanding line of Landscape equipment. Many other specialty implements were introduced over the years which became Tufline's Specialty Equipment Line which include sub-soilers, v-plows, disc plows, row disc, pasture renovators, and cultipackers.

In the 90's, Tufline's Sportsman line of products was introduced which included disc harrows, box blades, landscape rakes, and pull type spreaders all designed to be pulled with all-terrain vehicles. These implements were designed with the same principles of quality that were put into the tractor implements which made them the toughest line of ATV implements on the market.

Tufline continued to grow and expand the disc harrow product line which continues to be the foundation and staple of their product offering. Lift disc harrows range from 4' to 10'6" widths. Pull-Type disc harrows in tandem and offset designs are offered from 6' to 17' widths. The latest additions to Tufline's product offering include wheeled box scrapers, vertical tillage implements, rotary tillers, and hay rakes.

Joe Perkins continued to work at the company he started with his brother until his passing in 1999. J.C. Perkins retired in 2002. Joe's son, Tim Perkins, now serves as President and J.C.'s son, Sid Perkins, serves as Vice-President. They strive to continue to manage the company with the honesty and integrity that their fathers exemplified.

Tufline is very thankful for the continuous business from their loyal dealers and distributors that have offered our quality line of products for the last 60 plus years. These products are ideal for game plot development, small gardens, farming operations, and many other applications at the home, ranch, or farm. If you are not yet a part of our customer family, we trust you will be soon. We appreciate your interest in our products and look forward to serving you. For additional information on Monroe Tufline products and services, contact us or call 662-328-8347.

Mailing Address:
PO BOX 7755
COLUMBUS, MS 39705

Physical Address:
2219 TUFLINE LANE
COLUMBUS, MS 39705

662.328.8347
products@monroetufline.com
www.monroetufline.com



PACKAGING

PACKAGING

Below are some examples of our packaging of units ready for shipping.



TW5 SERIES




TW5 SERIES




DS1 SERIES



V-PLOW




TB40 SERIES



TB2 SERIES



TH SERIES



ROW DISC SERIES

SPECIAL NOTES


- Horsepower requirements may vary from two wheel drive to four wheel drive according to tractor specifications, and ground conditions
- Please note any shortage on shipments not reported within 15 days of delivery date will not be honored.
- Specifications and prices are subject to change without prior notice. Prices FOB Columbus, Mississippi

ROW DISC BEDDER RD SERIES

1 Row Bedders

- Designed for 15 to 50 horsepower tractors
- 3" Square tool bar
- 1 1/8" Square gang axle
- Sealed ball bearing
- Adjustable gang centers
- Plain blades standard
- Category 1
- Quick Hitch compatible

RD SERIES	
MODEL #	RD42018
Row	1
Blades	20"/18"
Hitch	Cat.1
Color Option	Tufline Red Black
Weight	204#
List	\$1,742



RD42018



RD42018

REVERSIBLE 6-BLADE MODELS LRRD6

- Designed for 25-50 horsepower tractors
- 3" Square x 84" Tool bar
- 2 - Three blade gangs
- Plain blades standard
- Notched disc blades optional
- Adjustable gang centers
- Gang reversible for pulling beds down
- Quick Hitch compatible

MRRD6 and HRRD6

- Designed for 40 to 75 horsepower tractors
- 4" Square x 84" Tool bar on MRRD6 and HRRD6
- 2 - Three blade gangs
- Plain blades standard
- Notched disc blades optional
- Adjustable gang centers
- Gang reversible for pulling beds down



LRRD6



MRRD6

REVERSIBLE 6 BLADE MODELS			
MODEL #	LRRD6	MRRD6	HRRD6
Horsepower	25-50	40-75	40-75
Tool Bar	3" Sq. x 84"	4" Sq. x 84"	4" Sq. x 84"
Blades	18",20" & 22"	20",22" & 24"	22",24" & 26"
Hitch	Cat. 1 & 2	Cat. 2	Cat. 2
Weight	555#	963#	1,091#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$2,677	\$4,080	\$5,168



HRRD6

DISC PLOW

TDP2 SERIES 2 & 3 Blade

- Designed for 50 to 75 horsepower tractors
- 2 & 3 blade models
- 22, 24, 26 or 28 inch disc blades
- Adjustable furrow wheels
- Gauge wheel standard on all models
- Blade scrapers optional equipment



TDP2324

TDP2 SERIES						
MODEL #	TDP2222	TDP2224	TDP2226	TDP2324	TDP2326	TDP2328
Width (in.)	27"	28 1/2"	30"	42"	44"	46"
Blades	2-22"	2-24"	2-26"	3-24"	3-26"	3-28"
Hitch	Cat. 1	Cat. 1	Cat. 1	Cat. 2	Cat. 2	Cat. 2
Weight	665#	693#	710#	1,005#	1,025#	\$1,042
Color Option	Black	Black	Black	Black	Black	# Black
List	\$4,724	\$4,916	\$5,058	\$7,087	\$7,306	\$7,621

OPTIONAL EQUIPMENT

Part #	Description	Weight	List
SCPR2	Scraper Kit for 2-Blade Disc Plow	20#	\$186
SCPR3	Scraper Kit for 3-Blade Disc Plow	32#	\$287

SPIKE HARROW SH SERIES Temporarily Suspended

MODEL #	SH72	SH90
Spikes	40	50
Width (ft.)	6'	7'6"
Weight	270#	310#
Hitch	Cat. 1	Cat. 1
Color Option	Black	Black
List	Temporarily Suspended Please Call For Pricing	

SUSPENDED



**SF3500 SERIES
3 PT. HITCH SPREADER**

- PTO driven
- Adjustable spreading angle right, left, or straight
- Engage, disengage lever
- Spreader veins, spreader plate and open & close plates are stainless
- Quick Hitch not available

SF3500 SERIES		
Model #	SF3500S	SF3500P
Hoper Material	Stainless	Poly
Capacity	*600#*	*600#*
Hitch	Cat. 1	Cat. 1
Weight	#205	#205
List	\$1,509	\$1,259



OPTIONAL EQUIPMENT FOR SF3500 SERIES

Part #	Description	Weight	List
16594	Articulated Agitator	2#	\$63

SUBSOILERS

ONE, TWO AND THREE SHANK SUBSOILER

- Designed for 30 to 130 horsepower tractors
- 24", 28" and 32" x 1 1/4" Hi-strength shanks
- One and Two shank models- Single bar - 7" x 5" tube frame
- Three shank models- Double bar - 7" x 5" & 5" x 3" tube frame
- Heat treated points
- Parking stands are standard equipment
- Quick Hitch compatible



1S28

SINGLE BAR SERIES

MODEL #	1S24	1S28	1S242	1S282	2S24	2S28	2S2460	2S2860	2S2480	2S2880
Frame	26"	26"	49"	49"	49"	49"	60"	60"	80"	80"
Shanks	1-24"	1-28"	1-24"	1-28"	2-24"	2-28"	2-24"	2-28"	2-24"	2-28"
Spacing	0	0	0	0	40"	40"	52"	52"	72"	72"
Weight	229#	243#	370#	385#	520#	548#	555#	609#	627#	655#
Hitch	Cat. 1	Cat. 1	Cat. 2	Cat. 2	Cat. 2	Cat. 2	Cat. 2	Cat. 2	Cat. 2	Cat. 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$1,716	\$1,789	\$2,548	\$2,635	\$3,199	\$3,291	\$3,352	\$3,475	\$3,525	\$3,610



2S28



3S2890

DOUBLE BAR SERIES

MODEL #	3S-24-90	3S-28-90	3S-32-90	3S-24-107	3S-28-107	3S-32-107
Frame	90"	90"	90"	107"	107"	107"
Shanks	3-24"	3-28"	3-32"	3-24"	3-28"	3-32"
Spacing	Adj.	Adj.	Adj.	Adj.	Adj.	Adj.
Weight	1,160#	1,205#	1,264#	1,222#	1,267#	1,326#
Hitch	Cat. 2	Cat. 2	Cat. 2	Cat. 2	Cat. 2	Cat. 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$5,857	\$5,990	\$6,180	\$6,038	\$6,171	\$6,362

V PLOWS

V PLOWS

28" & 32" SHANK MODELS

- Designed for 60 to 200 horsepower tractors
- Three point lift models
- Category 2 & 3
- 7" x 5" Tube Frame
- 28" or 32" x 1 1/4" Shanks
- Heat treated points
- All units equipped with shear bolts
- Gauge wheels & tires optional
- Quick Hitch compatible



732182

VP SERIES 28"

MODEL #	32888	528120	528142	728142	728182	928182	728222	928222	1128222
Horsepower	60	90-100	90-100	130-150	130-150	160-180	130-150	160-180	210-240
Shanks	3-28"	5-28"	5-28"	7-28"	7-28"	9-28"	7-28"	9-28"	11-28"
Frame	88"	120"	142"	142"	182"	182"	222"	222"	222"
Spacing	20-30"	20"	20-30"	20"	30"	20"	30"	30"	20"
Weight	1,036#	1,552#	1,618#	1,989"	2,134#	2,504#	2,248#	2,619#	2,990#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$7,389	\$8,566	\$8,842	\$11,025	\$11,855	\$14,202	\$12,219	\$14,566	\$16,735

VP SERIES 32"

MODEL #	33288	532120	532142	732142	732182	932182	732222	932222	1132222
Horsepower	60	90-100	90-100	130-150	130-150	160-180	130-150	160-180	210-240
Shanks	3-32"	5-32"	5-32"	7-32"	7-32"	9-32"	7-32"	9-32"	11-32"
Frame	88"	120"	142"	142"	182"	182"	222"	222"	222"
Spacing	20-30"	20"	20-30"	20"	20"	20"	30"	20"	20"
Weight	1,102#	1,660#	1,726#	2,139#	2,284#	2,695#	2,399#	2,812#	3,224#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$7,552	\$8,817	\$9,092	\$11,376	\$12,207	\$14,655	\$12,571	\$15,019	\$17,469

OPTIONAL EQUIPMENT

Part #	Description	Weight	List
GW5KB	Gauge Wheel Kit with 2-9.5L Tires	250#	\$2,541
13314	Additional Charge for T-1, 28" Shank	N/C	\$467 Per Shank
13315	Additional Charge for T-1, 32" Shank	N/C	\$530 Per Shank

CULTIPACKERS

CPL SERIES

- Designed for 18 to 40 horsepower tractors
- 3 Point hitch
- 2" square tube steel main frames
- 9 1/2" Cast iron packer wheels
- 1 3/4" ball bearing
- Parking stands
- Category 1 hitch
- Quick Hitch compatible



CP72L

CPL SERIES		
MODEL #	CP48L	CP72L
Width (ft.)	4'	6'
Weight	310#	412#
List	\$1,853	\$2,338

OPTIONAL EQUIPMENT FOR CPL			
Part #	Description	Weight	List
SKCP48L	Scraper Kit, CP48L	37#	\$414
SKCP72L	Scraper Kit, CP72L	53#	\$531
16319	Tongue Kit, Includes Ball Hitch & Clevis	23#	\$321
16320	Tongue and Wheel , Includes Tongue Kit, Wheels & Brackets	51#	\$417

BCP SERIES

- Designed for 40 to 80 horsepower tractors
- 3 Point hitch
- Heavy duty 4" square tube steel main frames
- 16" Cast iron packer wheels
- Heavy duty gang assembly with 1 1/8" ball bearing
- Parking stands
- Category 1 hitch (BCP1816)
- Category 1 - 2 dual hitch (BCP2416)
- Category 2 hitch (BCP3616)
- Quick Hitch compatible



BCP2416

BCP SERIES			
MODEL #	BCP1816	BCP2416	BCP3616
Width (ft.)	6'	8'	12'
Weight	1,035#	1,208#	1,885#
List	\$4,450	\$5,726	\$8,460

OPTIONAL EQUIPMENT FOR BCP SERIES			
Part #	Description	Weight	List
15600	Tongue assembly for pull type transport	110#	\$823
SKBCP1816	Scraper Kit, BCP1816	42#	\$458
SKBCP2416	Scraper Kit, BCP2416	58#	\$606
SKBCP3616	Scraper Kit, BCP3616	84#	\$907

CULTIPACKERS

DCP SERIES


- Designed for 40 to 120 horsepower tractors
- Heavy duty 4" square tube steel main frames
- Front and Rear roller assemblies
- 16" Cast iron packer wheel
- Heavy duty gang assembly with 1 1/8" ball bearing
- 4" x 8" Hydraulic Cylinder
- Dual wheels, 9.5L 15 6 ply implement tires



DCP SERIES				
MODEL #	DCP8	DCP10	DCP12	DCP16
Width (ft.)	8'	10'	12'	16'
Weight	4,025#	4,650#	5,200#	5,730#
Tires (Dual wheels)	9.5L 15 6 ply implement tires	9.5L 15 6 ply implement tires	9.5L 15 6 ply implement tires	9.5L 15 6 ply implement tires
List	\$19,298	\$21,472	\$23,375	\$25,549



OPTIONAL EQUIPMENT			
Part #	Description	Weight	List
SKDCP8	Scraper Kit, DCP8	116#	\$1,234
SKDCP10	Scraper Kit, DCP10	135#	\$1,445
SKDCP12	Scraper Kit, DCP12	168#	\$1,850
SKDCP16	Scraper Kit, DCP16	232#	\$2,465



DCP10

HIGH CAPACITY CARTED HAY RAKE TVR SERIES

- Clevis hitch
- Independent rake wheel adjustment
- Adjustment of the swath width
- High clearance frame
- Hydraulic lift and folding



TVR SERIES			
MODEL #	TVR8	TVR10	TVR12
Horsepower (min.)	30	30	50
# of Finger Wheels	8	10	12
Tine Wheel Diameter (in.)	9/32"	9/32"	9/32"
Minimum Working Width (ft.)	16'9"	17'8"	19'9"
Maximum Working Width (ft.)	19'	20'8"	24'2"
Transport Width (ft.)	11'	11'4"	11'6"
Transport Height (ft.)	8'4"	8'4"	8'4"
Swath Width (min-max) (ft.)	32"-83"	32"-83"	32"-83"
Rake Wheel Diameter (in.)	55"	55"	55"
Tires	205/75-15	205/75-15	205/75-15
Light Kit	Optional	Optional	Optional
Weight	1,687#	2,019#	2,295#
List	Please call for Pricing		

OPTIONAL EQUIPMENT FOR TVR SERIES			
Part #	Description	Weight	List
TVRCK	Center Kicker Wheel Kit	110#	\$846



LANDSCAPE RAKES

Landscape Rakes

LR1 Series

- All models have angle and offset adjustments
- Designed for 25 to 50 horsepower tractors
- Tubular constructed frame (4x4)
- Available in 5', 6', or 7'
- 1/4" X 1" Rake Tine
- Category 1
- Quick Hitch compatible



LR160

LR2 Series

- All models have angle and offset adjustments
- Designed for 40 to 90 horsepower tractors
- Tubular constructed frame (4x4)
- Available in 6', 7', 8' & 10'
- 3/8" x 1 1/4" Heavy Duty Rake Tine
- Category 1 & 2
- Quick Hitch compatible



LR284

LR1 SERIES & LR2 SERIES

MODEL #	LR160	LR172	LR184	LR272	LR284	LR296	LR2120
Width (ft.)	5'	6'	7'	6'	7'	8'	10'
Weight	348#	382#	405#	475#	525#	575#	650#
Hitch	Cat.1	Cat.1	Cat.1	Cat.1&2	Cat.1&2	Cat.1&2	Cat.1&2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$1,960	\$2,087	\$2,178	\$2,959	\$3,275	\$3,594	\$3,909

OPTIONAL EQUIPMENT

Part #	Description	Weight	List
14677	LR1 Gauge Wheel Kit -Includes 2 Mounting Brackets & Tires	78#	\$696
16581	LR2 Gauge Wheel Kit -Includes 2 Mounting Brackets & Tires	84#	\$696
13256	LR1 & LR2 Hydraulic Cylinder & Hose Kit (Consists of: 2-6 ft. Hoses, and 1-3x8 Cylinder)	28#	\$519

GRADER BLADES

GB1 SERIES

- Designed for 30 to 60 horsepower
- All models have manual angle, tilt and offset adjustments
- Tubular constructed frame (4x4)
- Category 1



GB1

GB1 SERIES			
MODEL #	GB160	GB172	GB184
Width (ft.)	5'	6'	7'
Weight	386#	403#	437#
Adjustments	Manual angle, tilt & offset		
Hitch	Cat.1	Cat.1	Cat.1
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$2,179	\$2,255	\$2,336

GB4 SERIES

- Designed for 40 to 80 horsepower
- All models have manual angle, tilt and offset adjustments
- Optional Hydraulic offset only (see below 13256)
- Tubular constructed frame (4x4)
- Category 1 & 2 dual hitch



GB484

GB4HR SERIES

- Designed for 40 to 80 horsepower
- Hydraulic tilt and angle, manual offset standard
- Optional Hydraulic offset (see below 13256)
- Tubular constructed frame (6x4) with pivot shaft 2 7/8"
- Category 1 & 2 dual hitch



GB4HR

GB4 SERIES & GB4HR						
MODEL #	GB472	GB484	GB496	GB472HR	GB484HR	GB496HR
Width (ft.)	6'	7'	8'	6'	7'	8'
Weight	548#	576#	652#	715#	765#	840#
Adjustments	Manual angle, tilt and offset			Manual offset; Hydraulic tilt and angle		
Hitch	Cat.1 & 2	Cat.1 & 2	Cat.1 & 2	Cat.1 & 2	Cat.1 & 2	Cat.1 & 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$2,964	\$3,082	\$3,221	\$4,364	\$4,675	\$5,082



GRADER BLADES

GB5 SERIES

- Designed for 60 to 100 horsepower
- Five square tubing frame, 3/8" thick moldboard
- Manual Tilt, angle and offset adjustments
- Hydraulic, or combination adjustment optional kits optional
- Ratchet standard
- Category 2 & 3



GB596

Shown with hydraulic tilt and angle. Manual offset

GB5 SERIES						
MODEL #	GB584		GB596		GB5108	
Width (ft.)	7'		8'		9'	
Weight	1,144#		1,198#		1,242#	
Adjustments	Manual angle, tilt & offset					
Hitch	Cat. 2 & 3		Cat. 2 & 3		Cat. 2 & 3	
Color Option	Tufline Red	Black	Tufline Red	Black	Tufline Red	Black
List	\$5,640		\$5,749		\$5,976	

OPTIONAL EQUIPMENT				
Part #	Description	Weight	List	
13413	Skid Shoes Set for GB472, GB484, GB472HR and GB484HR	25#	\$369	
13760	Skid Shoes Set for GB496 and GB496HR	25#	\$384	
13256	Hydraulic Cylinder & Hose Kit for GB1, GB4 & GB4HR Series (Consists of: 2-6 ft. Hoses, 3x8 Cylinder)	28#	\$515	
13584	3 Way Hydraulic Adjustment Kit - GB5 Only	105#	\$1,806	
13585	2 Way Hydraulic - GB5 Only	90#	\$1,198	
13586	1 Hydraulic Adjustment Kit - GB5 Only	99#	\$900	
13502	Skid Shoes for GB5	28#	\$416	



LP1 SERIES


- Ideal for large lots and driveways
- Designed for 25 to 65 horsepower tractors
- Category 1 hitch on 5' and 6' models
- Category 1 & 2 dual hitch on 7' and 8' models
- 12 1/2" x 1/4" side plates
- Reversible 6" cutting edges
- Quick Hitch compatible



LP1 SERIES				
MODEL #	LP160	LP172	LP184	LP196
Width (ft.)	5'	6'	7'	8'
Weight	394#	532#	598#	642#
Hitch	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$2,190	\$2,333	\$2,487	\$2,630

LP2 SERIES Temporarily Suspended Please call for Pricing

- Ideal for gravel road reconditioning
- Designed for 40 to 110 horsepower tractors
- Category 1 & 2 dual hitch on 7' and 8' models
- Category 2 hitch on 10' model
- 18" x 1/4" side plates
- Reversible 6" cutting edges
- Quick Hitch compatible



LP3 SERIES

- Ideal for gravel road reconditioning
- Designed for 50 to 120 horsepower tractors
- Category 1 & 2 dual hitch on 7' and 8' models
- Category 2 hitch on 10' model
- 3/8" X 20" X 60" Adjustable side plates
- Shanks come standard
- Reversible 6" cutting edges
- Replaceable skid shoes
- Quick Hitch compatible



LP2 SERIES & LP3 SERIES						
MODEL #	LP284	LP296	LP2120	LP384	LP396	LP3120
Width (ft.)	7'	8'	10'	7'	8'	10'
Shanks	N/A	N/A	N/A	4	6	8
Side Plate	18" x 1/4"	18" x 1/4"	18" x 1/4"	3/8" x 20" x 60" Adjustable	3/8" x 20" x 60" Adjustable	3/8" x 20" x 60" Adjustable
Weight	785#	895#	955#	998#	1,110#	1,254#
Hitch	Cat.1 & 2	Cat.1 & 2	Cat. 2	Cat.1 & 2	Cat.1 & 2	Cat. 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	Temporarily Suspended Please Call for Pricing			\$5,033	\$5,310	\$5,872

BOX BLADES

BOX SCRAPERS BB0 Series Temporarily Suspended

- Light weight scrapers
- Designed for 20 to 40 horsepower tractors
- 3/16" X 17" X 26" end plates
- Dual 3/8" x 6" Reversible cutting edge
- Category 1
- Quick Hitch compatible
- Adjustable scarifier shanks



BB060

BB0 SERIES			
MODEL #	BBO48	BB060	BB072
Width (ft.)	4'	5'	6'
Shanks	3	4	5
Weight	269#	336#	405#
LD. CAP.	11.2 cu.ft.	14.0 cu.ft.	16.8 cu.ft.
Hitch	Cat. 1	Cat. 1	Cat. 1
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	Please call for Pricing		

TB1 SERIES

- Medium weight scrapers
- Designed for 25 to 50 horsepower tractors
- 3/8" X 17" X 24" end plates
- Dual 3/8" x 6" Reversible Cutting Edge
- Category 1
- Quick hitch compatible
- Adjustable Scarifier Shanks



TB172

TB1 SERIES				
MODEL #	TB160	TB166	TB172	TB184
Width (ft.)	5'	5'6"	6'	7'
Shanks	5	6	6	8
Weight	509#	540#	586#	669#
LD. CAP.	14.17 cu.ft.	15.58 cu.ft.	17.0 cu.ft.	19.8 cu.ft.
Hitch	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$2,073	\$2,180	\$2,242	\$2,481

TB2 SERIES

- Heavy duty scrapers
- Designed for 40 to 70 horsepower tractors
- 3/8" X 18" X 28" end plate
- Dual 3/8" x 6" Reversible Cutting Edge
- Category 1 Quick hitch on 6' models
- Category 1 & 2 dual Quick hitch on 6' 1/2", 7' & 8' models
- Adjustable Scarifier Shanks



TB296

TB25 SERIES

- Designed for 50 to 80 horsepower tractors
- 1/2" X 18" X 33" End Plates - standard
- 1/4" Hinged Moldboard
- Category 1 & 2 Quick Hitch
- Notched, 3 position scarifier shanks



TB2572

TB2 SERIES & TB25 SERIES							
MODEL #	TB272	TB278	TB284	TB296	TB2572	TB2584	TB2596
Width (ft.)	6'	6'6"	7'	8'	6'	7'	8'
Shanks	6	7	8	9	7	8	9
Weight	661#	786#	841#	904#	790#	885#	1,010#
LD. CAP.	21.0 cu.ft.	22.75 cu.ft.	24.5 cu.ft.	28.0 cu.ft.	21.0 cu.ft.	24.5 cu.ft.	28.0 cu.ft.
Hitch	Cat. 1	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$2,728	\$2,960	\$3,133	\$3,372	\$3,440	\$3,765	\$4,089

HYDRAULIC BOX SCRAPERS

TB30 SERIES


- Hydraulic retractable box scrapers
- Designed for 50 to 75 horse power tractors
- Includes hydraulic cylinder and hose kit
- TB30 Hydraulic Low Back 3/8" X 18" X 36" End Plates
- 5/8" Wall thickness scarifier bar
- Quick Hitch



TB3084

TB40 SERIES

- Hydraulic retractable box scrapers
- Designed for 50 to 100 horse power tractors
- Includes hydraulic cylinder and hose kit
- TB40 Hydraulic High Back 1/2" X 33" X 43" End Plates
- 5/8" Wall thickness scarifier bar
- Quick Hitch



TB4096

TB30 SERIES & TB40 SERIES									
MODEL #	TB3060H	TB3066H	TB3072H	TB3078H	TB3084H	TB3096H	TB4078H	TB4084H	TB4096H
Width (ft.)	5'	5'6"	6'	6'6"	7'	8'	6'6"	7'	8'
Shanks	6	6	6	8	8	8	8	8	8
Weight	725#	772#	815#	1,016#	1,052#	1,146#	1,160#	1,200#	1,310#
LD. CAP.	21.8 cu.ft.	24.0 cu.ft.	26.2 cu.ft.	28.3 cu.ft.	30.5 cu.ft.	34.9 cu.ft.	32.0 cu.ft.	34.5 cu.ft.	39.4 cu.ft.
Hitch	Cat. 1	Cat. 1	Cat. 1	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$4,122	\$4,212	\$4,494	\$4,767	\$4,899	\$5,154	\$5,266	\$5,342	\$5,562

EXTRA CAPACITY BLADES

PHB SERIES

EXTRA CAPACITY BOX SCRAPERS

- Ideal for poultry house and dairy barn cleaning
- Designed for 50 to 75 horsepower tractors
- 7' & 8' Models
- End Plates: 1/4" X 25 1/2" X 36" (7' & 8')
- End Plates: 3/8" X 25 1/2" X 36" (9')
- Reversible cutting edge (Front Only)
- Category 1 & 2 Quick Hitch
- Brackets for skid shoes (Standard)
- Skid shoes (Optional)



PHB96

CBS SERIE EXTRA CAPACITY HEAVY DUTY BOX SCRAPER

- Designed for 35 to 120 horse power tractors
- 4" square tube, 3/8" end plates, & 1/4" moldboard
- Reversible cutting edge (Front Only)
- 3/8" X 25 1/2" X 36" END PLATE
- Category 1 & 2 Quick Hitch 7' & 8'
- Category 2 & 3 Quick Hitch 10' & 12'



CBS96

PHB SERIES & CBS SERIES

MODEL #	PHB84	PHB96	PHB108	CBS84	CBS96	CBS120	CBS144
Width (ft.)	7'	8'	9'	7'	8'	10'	12'
Weight	684#	748#	840#	725#	815#	1,010#	1,205#
LD. CAP.	44 cu.ft.	50 cu.ft.	56 cu.ft.	36 cu.ft.	44 cu.ft.	50 cu.ft.	60 cu.ft.
Hitch	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 2 & 3	Cat. 2 & 3
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Industrial Yellow	Industrial Yellow	Industrial Yellow	Industrial Yellow
List	Temporarily Suspended Please Call for Pricing			\$2,861	\$3,097	\$3,528	\$4,015

OPTIONAL EQUIPMENT

Part #	Description	Weight	List
SSPHB	Skid Shoes Set	20#	\$188

WHEELED BOX SCRAPERS

DS1 SERIES

- Hydraulic wheeled box scraper
- Designed for 35 to 120 horsepower tractors
- 4" square tube, 3/8" end plates, & 1/4" moldboard
- Reversible cutting edge (Front Only)
- Tongue jack & safety chain - standard
- Hydraulic cylinder, hoses kit, and tires included
- 3/8" X 25 1/2" X 36" End Plate
- Tilt option available



DS1 SERIES			
MODEL #	DS196	DS1120	DS1144
Width (ft.)	8'	10'	12'
Weight	1,300#	1,450#	1,600#
LD. CAP.	44 cu.ft.	50 cu.ft.	60 cu.ft.
Hitch	Draw Pin	Draw Pin	Draw Pin
Tilt	Optional	Optional	Optional
List	\$7,416	\$7,568	\$8,296

DS1 TILT SERIES			
MODEL #	DS196T	DS1120T	DS1144T
Weight w/Tilt	1,335#	1,485#	1,635#
List w/Tilt	\$8,026	\$8,219	\$8,486

OPTIONAL EQUIPMENT			
Part #	Description	Weight	List
15346	Light Kit	20#	\$773



TILLERS


ROTARY TILLER COMPACT SERIES

RTC SERIES

- Designed for 15 -35 horsepower
- Gear Driven Transmission
- 6 Blades per Flange
- PTO with Slip Clutch
- Powder Coat Paint
- 6" Tilling Depth

RTC SERIES			
MODEL #	RTC40	RTC48	RTC60
Cut Width (in.)	39"	48"	57"
Blades	24	30	36
Drive	Gear	Gear	Gear
Rotation	Forward	Forward	Forward
Weight	330#	365#	395#

List [Please Call for Pricing](#)



RTC60

MEDIUM DUTY SERIES

RTM SERIES

- Designed for 30 60 horsepower
- Gear Driven Transmission
- Large Diameter Rotor
- 6 Blades per Flange
- PTO with Slip Clutch
- Powder Coat Paint
- 8" Tilling Depth

RTR SERIES

- Designed for 30 60 horsepower
- Reverse Rotation
- Gear Driven Transmission
- Large Diameter Rotor
- 6 Blades per Flange
- PTO with Slip Clutch
- Powder Coat Paint
- 8" Tilling Depth



RTM72

RTM SERIES & RTR SERIES							
MODEL #	RTM50	RTM60	RTM66	RTM72	RTM84	RTR60	RTR72
Cut Width (in.)	49"	57"	65"	73"	81"	57"	73"
Blades	36	42	48	54	60	42	54
Drive	Gear	Gear	Gear	Gear	Gear	Gear	Gear
Rotation	Forward	Forward	Forward	Forward	Forward	Reverse	Reverse
Weight	520#	545#	600#	650#	710#	545#	650#

List [Please Call for Pricing](#)

SF500 SERIES ATV SPREADER

- Pull type
- Wheel driven
- Adjustable spreading angle right, left, or straight
- Engage, disengage lever
- Wide Wheel base for stability
- Wide pneumatic tires
- 1 7/8" Ball coupler hitch standard, 2" coupler optional
- Spreader veins, spreader plate and open & close plates are stainless

SF SERIES


Model #	SF500T	SF500TP	SF500TSS
Hoper Material	Metal	Poly	Stainless
Capacity	*600#*	*600#*	*600#*
Weight	225#	225#	225#
List	\$2,513	\$3,073	\$3,276

OPTIONAL EQUIPMENT

Part #	Description	Weight	List
14623	2" Ball Receiver Hitch	2#	\$59
16594	Articulating Agitator	2#	\$59



Articulated Agitator



Standard Agitator



SF500TSS

Capacity may vary depending on material density.



SF500T

ATV DISC Temporarily Suspended

ATVD SERIES 2

- Designed for 300 & 400 cc ATVS
- 52" Cutting width
- 2" Square tubing main frame
- Adjustable gang angle
- 16" Notched disc blades with sealed bearings
- Ratchet lift for transport & depth control
- 1 7/8" Ball coupler hitch, 2" coupler optional

ATVD SERIES 2

Model #	ATVD78162
Cut Width (in.)	52"
Blades	8-16"
Weight	347#
List	Please call for Pricing

OPTIONAL EQUIPMENT

Part #	Description	List
14623	2" Ball Receiver Hitch	\$59



ATVD78162

**CALL FOR SPECIAL PRICE
*LIMITED AVAILBILTY***

COMPACT MODELS

LIFT TANDEM DISC HARROWS

TGE SERIES

- Designed for 15 to 28 horsepower tractors
- 4' & 5' 6" Cutting widths
- 2" Square tube main frame
- Adjustable gang cutting angles
- 7 1/2" Blade spacing
- Flanged mounted ball bearings
- 16" or 18" Notched blades standard
- Category 1 Quick Hitch
- 1" Square axle



1TGE71618BF

TGE SERIES				
MODEL #	1TGE71216BF	1TGE71218BF	1TGE71616BF	1TGE71618BF
Cut Width (ft.)	4'	4'	5'6"	5'6"
Blades	12-16"	12-18"	16-16"	16-18"
Spacing (in.)	7 1/2"	7 1/2"	7 1/2"	7 1/2"
Weight	365#	385#	443#	473#
Hitch	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$2,238	\$2,288	\$2,523	\$2,573

TME SERIES LIFT TANDEM DISC HARROWS

ECONOMY Temporarily Suspended Please Call for Pricing and Availability

- Designed for 20 to 35 horsepower tractors
- Available in 5' 6", 6' 8" & 6' 4" cutting widths
- Adjustable gang cutting angles
- 7 1/2" or 9" blade spacing
- 1" Axle, ball bearing
- 18" Notched blade standard
- Category 1
- Quick Hitch compatible
- Optional equipment- see page 25



1TME71618BF

TME SERIES			
MODEL #	1TME71618BF	1TME72018BF	1TME91618BF
Cut Width (ft.)	5' 6"	6' 8"	6' 4"
Blades	16-18"	20-18"	16-18"
Spacing (in.)	7 1/2"	7 1/2"	9"
Weight	606#	708#	647#
Hitch	Cat. 1	Cat. 1	Cat. 1
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	Temporarily Suspended Please Call for Pricing		

SUSPENDED

UTILITY MODELS

THE SERIES

LIFT TANDEM DISC HARROWS

- Designed for 25 to 45 horsepower tractors
- Available in 5' 6", 6' 4" and 6' 8" cutting widths
- 3" Square tubing frame
- Flangette ball bearings
- Or pillow block ball bearings
- 18" notched blades on 1" axle models
- 18" or 20" notched blades on 1 1/8" models
- Adjustable gang cutting angles
- Plain blades optional
- Category 1
- Quick Hitch compatible
- Optional equipment- see page 25



1THE91618BF

THE SERIES 1" AXLE WITH FLANGE BEARING				
MODEL #	1THE71618BF	1THE72018BF	1THE91618BF	1THE971818BF
Cut Width (ft.)	5' 6"	6' 8"	6' 4"	6' 8"
Blades	16-18"	20-18"	16-18"	18-18"
Spacing (in.)	7 1/2"	7 1/2"	9"	9 - 7 1/2"
Weight	659#	732#	718#	736#
Hitch	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$3,257	\$3,506	\$3,376	\$3,414

THE SERIES 1 1/8" AXLE W/PILLOW BLOCK BEARING							
MODEL #	THE71618PB	THE72018PB	THE72020PB	THE91618PB	THE91620PB	THE971818PB	THE971820PB
Cut Width (ft.)	5' 6"	6' 8"	6' 8"	6' 4"	6' 4"	6' 8"	6' 8"
Blades	16-18"	20-18"	20-20"	16-18"	16-20"	18-18"	18-20"
Spacing (in.)	7 1/2"	7 1/2"	7 1/2"	9"	9"	9 - 7 1/2"	9 - 7 1/2"
Weight	695#	765#	825#	750#	798#	768#	789#
Hitch	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$3,862	\$4,188	\$4,349	\$4,032	\$4,141	\$4,208	\$4,322

TH SERIES

UTILITY MODELS

TH SERIES

LIFT TANDEM DISC HARROWS

- Designed for 35 to 55 horsepower tractors
- Available in 6' 4", 6' 8" and 8' cutting widths
- Notched blades standard/plain blades optional
- 3" Heavy square tube main frame
- 1 1/8" High Strength Axles
- Pillow block bearings
- Adjustable gang cutting angles
- Category 1
- Quick Hitch compatible
- Optional equipment- see page 25



TH91620B

TH SERIES 20" BLADES

MODEL #	TH91620B	TH72020B	TH971820B	TH72420B	TH92020B	TH972220B
Cut Width (ft.)	6' 4"	6' 8"	6' 8"	8'	8'	8'
Blades	16-20"	20-20"	18-20"	24-20"	20-20"	22-20"
Spacing (in.)	9"	7 1/2"	9 - 7 1/2"	7 1/2"	9"	9 - 7 1/2"
Weight	890#	942#	915#	1,038#	968#	1,005#
Hitch	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Color Option	Tuflino Red Black	Tuflino Red Black	Tuflino Red Black	Tuflino Red Black	Tuflino Red Black	Tuflino Red Black
List	\$3,911	\$4,324	\$4,105	\$4,754	\$4,467	\$4,563

TH SERIES 22" BLADES

MODEL #	TH91622B	TH72022B	TH971822B	TH72422B	TH92022B	TH972222B
Cut Width (ft.)	6' 4"	6' 8"	6' 8"	8'	8'	8'
Blades	16-22"	20-22"	18-22"	24-22"	20-22"	22-22"
Spacing (in.)	9"	7 1/2"	9 - 7 1/2"	7 1/2"	9"	9 - 7 1/2"
Weight	933#	1,002#	969#	1,118#	1,026#	1,069
Hitch	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1
Color Option	Tuflino Red Black	Tuflino Red Black	Tuflino Red Black	Tuflino Red Black	Tuflino Red Black	Tuflino Red Black
List	\$4,391	\$4,835	\$4,563	\$5,370	\$4,980	\$5,172

ROLLER BASKET OPTION

FOR TH SERIES DISC HARROWS

- Adjustable height and down pressure
- Heavy duty shock absorbing springs
- Spring loaded down pressure
- 14" Diameter baskets



TH ROLLER BASKET

Model #	Model Kit Fit	Baskets	Width (in.)	Weight	List
RB1276	TH series - 6' 4" cut	1-90"	96"	254#	\$2,243
RB1280	TH series - 6' 8" cut	1-90"	96"	254#	\$2,243
RB1296	TH series - 8' cut	2-54"	117"	365#	\$2,718

OPTIONAL EQUIPMENT FOR TGE, TME, THE & TH SERIES

REGULAR SCRAPER KIT TME, THE & TH 3 POINT DISC

Model #	Model Kit Fit	Weight	List
RSK716	THE716, TME716	65#	\$764
RSK916	THE916, TME916, TH916	72#	\$782
RSK720	THE720, TME720, TH720	82#	\$824
RSK9718	THE9718, TME9718, TH9718	80#	\$882
RSK724	TH724, TH920	110#	\$901
RSK920	TH920	102#	\$975
RSK9722	TH9722	94#	\$1,034

HEAVY SCRAPER KIT THE & TH 3 POINT DISC

Model #	Model Kit Fit	Weight	List
SK916	TH916, THE916	157#	\$1,295
SK9718	TH9718, THE9718	173#	\$1,365
SK720	TH720, THE720	177#	\$1,465
SK724	TH724	190#	\$1,638
SK920	TH920	192#	\$1,472
SK9722	TH9722	209#	\$1,582

OPTIONAL EQUIPMENT FOR THE & TH 3 POINT DISC

Part #	Description	Weight	List
T70316	Outrigger Kit with 16" plain blades 42#	42#	\$395
T70318	Outrigger Kit with 18" plain blades 46#	46#	\$417
	Plain Blades	--	\$5 per blade



HEAVY DUTY MODELS

TL43 SERIES

LIFT TANDEM DISC HARROWS

- Designed for 45 to 80 horsepower tractors
- Available in 6' 4", 6' 8" or 8' cutting widths
- 4" x 3" Tube frame
- Adjustable gang cutting angles
- Triple sealed ball bearings
- Heavy tube gang hanger
- 1 1/8" Gang axles
- Notched blades standard
- Plain blades optional
- Category 1 & 2
- Quick Hitch compatible



TL43 SERIES 20" BLADES

MODEL #	TL4391620	TL43971820	TL4372020	TL4392020	TL43972220	TL4372420
Cut Width (ft.)	6' 4"	6' 8"	6' 8"	8'	8'	8'
Blades	16-20"	18-20"	20-20"	20-20"	22-20"	24-20"
Spacing (in.)	9"	9 - 7 1/2"	7 1/2"	9"	9 - 7 1/2"	7 1/2"
Weight	1,163#	1,189#	1,258#	1,318#	1,361#	1,404#
Hitch	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$4,888	\$5,116	\$5,289	\$5,469	\$5,591	\$5,765

TL43 SERIES 22" BLADES

MODEL #	TL4391622	TL43971822	TL4372022	TL4392022	TL43972222	TL4372422
Cut Width (ft.)	6' 4"	6' 8"	6' 8"	8"	8"	8"
Blades	16-22"	18-22"	20-22"	20-22"	22-22"	24-22"
Spacing (in.)	9"	9 - 7 1/2"	7 1/2"	9"	9 - 7 1/2"	7 1/2"
Weight	1,247#	1,303#	1,342#	1,422#	1,475#	1,513#
Hitch	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$5,373	\$5,677	\$5,894	\$6,071	\$6,267	\$6,455



OPTIONAL EQUIPMENT FOR TL43



OPTIONAL EQUIPMENT FOR TL43 SERIES

Part #	Description	Weight	List
T70316	Outtrigger Kit with 16" plain blades 42#	42#	\$395
T70318	Outtrigger Kit with 18" plain blades 46#	46#	\$417
13187	Regreasable Bearings TL43 Series ONLY	--	\$49 per bearing
11476	Balk Breaker Assembly with Point	27#	\$391
	Plain Blades	--	\$5 per blade

HEAVY SCRAPER KIT TL43 SERIES 3 POINT DISC


Model #	Model Kit Fit	Weight	List
SK91643	TL43-91620 OR TL43-91622	165#	\$1,303
SK971843	TL43-971820 OR TL43-971822	176#	\$1,380
SK72043	TL43-72020 OR TL43-72022	190#	\$1,472
SK92043	TL43-92020 OR TL43-92022	195#	\$1,492
SK972243	TL43-972220 OR TL43-972222	204#	\$1,568
SK72443	TL43-72420 OR TL43-972422	215#	\$1,657



ROLLER BASKET OPTION FOR TL43 SERIES DISC HARROWS

- Adjustable height and down pressure
- Heavy duty shock absorbing springs
- Spring loaded down pressure
- 14" Diameter baskets

RB1396



TL43 ROLLER BASKET

Model #	Model Kit Fit	Baskets	Width	Weight	List
RB1376	TL43 series - 76" cut	1-90"	96"	254#	\$2,243
RB1380	TL43 series - 80" cut	1-90"	96"	254#	\$2,243
RB1396	TL43 series - 96" cut	2-54"	117"	365#	\$2,718

T4X SERIES

HEAVY DUTY MODELS

T4X SERIES

HEAVY LIFT TANDEM DISC HARROWS

- Designed for 50 to 80 horsepower tractors
- Available in 8', 9' 6" cutting widths
- 4" Square tube frame
- Adjustable gang cutting angles
- Notched blades standard/plain blades optional
- Triple sealed ball bearings
- Heavy tube gang hangers
- 1 1/8" Gang axles
- Category 2
- Quick Hitch compatible



T4X92022B

T4X SERIES 20" BLADES

MODEL #	T4X92020B	T4X972220B	T4X92420B	T4X972620B
Cut Width (ft.)	8'	8'	9' 6"	9' 6"
Blades	20-20"	22-20"	24-20"	26-20"
Spacing (in.)	9"	9 - 7 1/2"	9"	9 - 7 1/2"
Weight	1,445#	1,520#	1,594#	1,663#
Hitch	Cat. 2	Cat. 2	Cat. 2	Cat. 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$6,077	\$6,374	\$6,623	\$6,913

T4X SERIES 22" BLADES

MODEL #	T4X92022B	T4X972222B	T4X92422B	T4X972622B
Cut Width (ft.)	8'	8'	9' 6"	9' 6"
Blades	20-22"	22-22"	24-22"	26-22"
Spacing (in.)	9"	9 - 7 1/2"	9"	9 - 7 1/2"
Weight	1,517#	1,591#	1,666#	1,741#
Hitch	Cat. 2	Cat. 2	Cat. 2	Cat. 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$6,483	\$6,821	\$7,110	\$7,441

OPTIONAL EQUIPMENT FOR T4X

Part #	Description	Weight	List
T70316	Outrigger Kit with 16" plain blades 42#	42#	\$395
T70318	Outrigger Kit with 18" plain blades 46#	46#	\$417
13187	Regreasable Bearings	--	\$49 per bearing
11476	Balk Breaker Assembly with Point	27#	\$391
	Plain Blades	--	\$5 per blade

HEAVY SCRAPER KIT FOR T4X

Model #	Model Kit Fit	Weight	List
SK9204X	T4X920	200#	\$1,497
SK9244X	T4X924	215#	\$1,679
SK97224X	T4X9722	210#	\$1,577
SK97264X	T4X9726	230#	\$1,728



HEAVY DUTY MODELS

HL SERIES

HEAVY LIFT TANDEM DISC HARROWS

- Designed for 60 to 100 horsepower tractors
- 1 1/2" Hi strength gang axles
- Avail. in 8', 9' 6" and 10' 6" cutting widths
- 5" X 3" Tube frame
- Gang angle adjustable
- Notched blades standard
- Plain blades optional
- Trunnion triple sealed ball bearings
- Heavy tube gang hangers
- Category 2
- Quick Hitch compatible



HL SERIES 22" BLADES				
MODEL #	HL92022B	HL92422B	HL102022B	HL102422B
Cut Width (ft.)	8'	9' 6"	9' 6"	10' 6"
Blades	20-22"	24-22"	20-22"	24-22"
Spacing (in.)	9"	9"	10 1/2"	10 1/2"
Weight	1,924#	2,118#	1,976#	2,180#
Hitch	Cat. 2	Cat. 2	Cat. 2	Cat. 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$8,858	\$9,758	\$9,468	\$9,877

HL SERIES 24" BLADES				
MODEL #	HL92024B	HL92424B	HL102024B	HL102424B
Cut Width (ft.)	8'	9' 6"	9' 6"	10' 6"
Blades	20-24"	24-24"	20-24"	24-24"
Spacing (in.)	9"	9"	10 1/2"	10 1/2"
Weight	2,144#	2,382#	2,198#	2,445#
Hitch	Cat. 2	Cat. 2	Cat. 2	Cat. 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$9,728	\$10,816	\$10,352	\$10,937

OPTIONAL EQUIPMENT HL SERIES			
Part #	Description	Weight	List
T70318	Outrigger Kit with 18" blades	46#	\$395
T70320	Outrigger Kit with 20" blades	52#	\$417
13188	Regreasable Bearings	--	\$49 per bearing
--	Plain Blades	--	\$5 per blade
11476	Balk Breaker Assembly with Point	27#	\$391

HEAVY SCRAPER KIT HL 3 POINT DISC			
Model #	Model Kit Fit	Weight	List
SK920HL	HL920	198#	\$1,532
SK1020HL	HL1020	218#	\$1,556
SK924HL	HL924	225#	\$1,696
SK1024HL	HL1024	242#	\$1,746




OPTIONAL ROLLER BASKET FOR T4X & HL

T4X ROLLER BASKET

Model #	Model Kit Fit	Baskets	Width	Weight	List
RB1408	T4X series - 8' cut**	2-54	117"	365#	\$2,796
RB1409	T4X series - 9'6" cut**	2-60"	129"	425#	\$3,215
RB1410	T4X series - 10'6" cut**	2-66"	141"	585#	\$3,774

HL ROLLER BASKET

Model #	Model Kit Fit	Baskets	Width	Weight	List
RB1408	HL series - 8' cut**	2-54	117"	365#	\$2,796
RB1409	HL series - 9'6" cut**	2-60"	129"	425#	\$3,215
RB1410	HL series - 10'6" cut**	2-66"	141"	585#	\$3,774



TLO SERIES

3-POINT OFFSET DISC HARROW

- Designed for 35 to 75 horsepower tractors
- 3" Square tube frame
- Adjustable gang cutting angles
- Front to rear leveling for side draft control
- Notched blades standard/plain blades optional
- 1 1/8" Square hi strength gang axles
- Blade scrapers optional
- Category 1 & 2
- Quick Hitch compatible



TLO91822

TLO SERIES 20" BLADES					
MODEL #	TLO91420	TLO91620	TLO91820	TLO92020	TLO92220
Cut Width (ft.)	5' 3"	6'	6' 8"	7' 6"	8' 4"
Blades	14-20"	16-20"	18-20"	20-20"	22-20"
Spacing (in.)	9"	9"	9"	9"	9"
Weight	996#	1,101#	1,185#	1,250#	1,318#
Hitch	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$4,641	\$4,987	\$5,325	\$5,589	\$5,880

TLO SERIES 22" BLADES					
MODEL #	TLO91422	TLO91622	TLO91822	TLO92022	TLO92222
Cut Width (ft.)	5' 3"	6'	6' 8"	7' 6"	8' 4"
Blades	14-22"	16-22"	18-22"	20-22"	22-22"
Spacing (in.)	9"	9"	9"	9"	9"
Weight	1,052#	1,165#	1,257#	1,330#	1,406#
Hitch	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2	Cat. 1 & 2
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$4,932	\$5,318	\$5,699	\$6,004	\$6,335

TLO91822



LO40 SERIES

LO40 SERIES

HEAVY LIFT OFFSET DISC HARROW

- Designed for 60 to 120 horsepower tractors
- Available in 6' to 9' cutting widths
- 4" Square tubular frame
- Adjustable gang cutting angles
- 1 1/2" RC Square cold drawn axle
- Blade scrapers optional
- Category 2 & 3
- Quick Hitch compatible



LO40 SERIES 22" BLADES

MODEL #	LO4091622	LO4091822	LO4092022	LO40101622	LO4092222	LO4092422
Cut Width (ft.)	6'	6' 8"	7' 6"	6' 10"	8' 4"	9'
Bearings	6	8	8	6	8	8
Blades	16-22"	18-22"	20-22"	16-22"	22-22"	24-22"
Spacing (in.)	9"	9"	9"	10 1/2"	9"	9"
Weight	1,500#	1,572#	1,716#	1,592#	1,914#	2,089#
Hitch	Cat. 2 & 3	Cat. 2 & 3	Cat. 2 & 3	Cat. 2 & 3	Cat. 2 & 3	Cat. 2 & 3
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$7,814	\$8,548	\$9,429	\$8,562	\$9,780	\$9,900

LO40 SERIES 24" BLADES

MODEL #	LO4091624	LO4091824	LO4092024	LO40101624	LO4092224	LO4092424
Cut Width (ft.)	6'	6' 8"	7' 6"	6' 10"	8' 4"	9'
Bearings	6	8	8	6	8	8
Blades	16-24"	18-24"	20-24"	16-24"	22-2"	24-24"
Spacing (in.)	9"	9"	9"	10 1/2"	9"	9"
Weight	1,725#	1,830#	2,018#	1,848#	2,150#	2,362#
Hitch	Cat. 2 & 3	Cat. 2 & 3	Cat. 2 & 3	Cat. 2 & 3	Cat. 2 & 3	Cat. 2 & 3
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$8,656	\$9,359	\$10,097	\$9,483	\$10,501	\$11,264



LO4091824

OPTIONAL EQUIPMENT FOR TLO & LO40

HEAVY SCRAPER KIT FOR TLO SERIES

Model #	Model Kit Fit	Weight	List
SK914TLO	TLO914	156#	\$1,229
SK916TLO	TLO916	192#	\$1,303
SK918TLO	TLO918	207#	\$1,374
SK920TLO	TLO920	224#	\$1,468
SK922TLO	TLO922	250#	\$1,549

OPTIONAL EQUIPMENT FOR TLO SERIES

Part #	Description	Weight	List
T7031218	Outrigger Kit with 18" plain blade	21#	\$210
T7031220	Outrigger Kit with 20" plain blade	23#	\$224
13187	Regreasable Bearings	--	\$49 per bearing
	Plain Blades	--	\$5 per blade



HEAVY SCRAPER KIT LO40 OFFSET DISC

Model #	Model Kit Fit	Weight	List
SK916LO40	LO40916	226#	\$1,389
SK918LO40	LO40918	235#	\$1,443
SK920LO40	LO40920	252#	\$1,562
SK1016LO40	LO401016	240#	\$1,402
SK922LO40	LO40922	286#	\$1,632
SK924LO40	LO40924	312#	\$1,755

OPTIONAL EQUIPMENT FOR LO40 SERIES

Part #	Description	Weight	List
T7031218	Outrigger Kit with 18" plain blade	21#	\$210
T7031220	Outrigger Kit with 20" plain blade	23#	\$225
13188	Regreasable Bearings	--	\$49 per bearing
	Plain Blades	--	\$5 per blade

TW5 SERIES

TW5 SERIES TANDEM WHEEL-TYPE DISC HARROW 8' - 9' 6"

- Designed for 35 to 65 horsepower tractors
- 3" Square tube frame
- 1 1/8" Square hi-strength axles,
- Triple sealed ball bearings
- Front to rear leveling system & depth control
- Tube type gang hangers
- 9" or 7 1/2" or combination blade spacing
- 20" or 22" Notched blades standard
- Tongue jack & safety chain
- 3 x 8 Hyd. cylinder, set of hydraulic hoses
- 2- 9.5L 15 6 ply Imp. tires



TW5 SERIES 20" BLADES (8' - 9' 6")

MODEL #	TW72420	TW92020	TW972220	TW92420	TW972620	TW72820
Cut Width (ft.)	8'	8'	8'	9' 6"	9' 6"	9' 6"
Bearings	8	8	8	8	8	8
Horsepower	35-55	35-55	35-55	40-65	40-65	40-65
Blades	24-20"	20-20"	22-20"	24-20"	26-20"	28-20"
Spacing (in.)	7 1/2"	9"	9 - 7 1/2"	9"	9 - 7 1/2"	7 1/2"
Weight	1,915#	1,805#	1,840#	1,925#	1,965#	1,995#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$10,367	\$9,887	\$10,102	\$10,315	\$10,669	\$10,960



TW5 SERIES 22" BLADES (8' - 9' 6")

MODEL #	TW72422	TW92022	TW972222	TW92422	TW972622	TW72822
Cut Width (ft.)	8'	8'	8'	9' 6"	9' 6"	9' 6"
Bearings	8	8	8	8	8	8
Horsepower	35-55	35-55	35-55	40-65	40-65	40-65
Blades	24-22"	20-22"	22-22"	24-22"	26-22"	28-22"
Spacing (in.)	7 1/2"	9"	9 - 7 1/2"	9"	9 - 7 1/2"	7 1/2"
Weight	2,023#	1,895#	1,939	2,033#	2,082#	2,121#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$10,868	\$10,497	\$10,745	\$11,020	\$11,426	\$11,776

**TW5 SERIES
TANDEM WHEEL
TYPE DISC HARROW 10' 6" - 15'**

- Designed for 50 to 85 horsepower tractors
- 4" x 3" & 5" x 3" Hi-yield tube frames
- 1 1/8" Square hi-strength axles
- Triple sealed ball bearings
- Front to rear leveling system & depth control
- 9" or 7 1/2" or combination blade spacing
- 20" or 22" Disc Blades
- Notched blades standard
- Tongue jack & safety chain
- 3 x 8 Hyd. cylinder, set of hydraulic hoses,
- 2- 9.5L 15 6 ply Imp. tires



TW973022

Shown with optional Roller Basket RB1510

TW5 SERIES 20" BLADES (10' 6" - 13' 4")

MODEL #	TW92820	TW973020	TW73220	TW93220	TW973420	TW73620	TW93620	TW74020	TW973820
Cut Width (ft.)	10' 6"	10' 6"	10' 6"	12'	12'	12'	13' 4"	13' 4"	13' 4"
Bearings	12	12	12	12	12	12	16	16	16
Horsepower	50-75	50-75	50-75	60-80	60-80	60-80	65-85	65-85	65-85
Blades	28-20"	30-20"	32-20"	32-20"	34-20"	36-20"	36-20"	40-20"	38-20"
Spacing (in.)	9"	9 - 7 1/2"	7 1/2"	9"	9 - 7 1/2"	7 1/2"	9"	7 1/2"	9 - 7 1/2"
Weight	2,370#	2,410#	2,450#	2,900#	2,950#	2,990#	2,968#	3,240#	3,180#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$12,091	\$12,129	\$12,629	\$13,435	\$14,153	\$14,271	\$14,754	\$15,509	\$15,232

TW5 SERIES 22" BLADES (10' 6" - 13' 4")

MODEL #	TW92822	TW973022	TW73222	TW93222	TW973422	TW73622	TW93622	TW74022	TW973822
Cut Width (ft.)	10' 6"	10' 6"	10' 6"	12'	12'	12'	13' 4"	13' 4"	13' 4"
Bearings	12	12	12	12	12	12	16	16	16
Horsepower	50-75	50-75	50-75	60-80	60-80	60-80	65-85	65-85	65-85
Blades	28-22"	30-22"	32-22"	32-22"	34-22"	36-22"	36-22"	40-22"	38-22"
Spacing (in.)	9"	9 - 7 1/2"	7 1/2"	9"	9 - 7 1/2"	7 1/2"	9"	7 1/2"	9 - 7 1/2"
Weight	2,496#	2,545#	2,594#	3,044#	3,103#	3,152#	3,130#	3,420#	3,351#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$12,670	\$12,747	\$13,051	\$14,095	\$14,852	\$15,012	\$15,520	\$16,298	\$16,230

TW5 SERIES DUAL WHEEL MODELS (14' - 15')

MODEL #	TW74420	TW74422	TW974220	TW974222	TW94020	TW94022
Cut Width (ft.)	14'	14'	14'	14'	15'	15'
Bearings	16	16	16	16	16	16
Horsepower	70-85	70-85	70-85	70-85	70-85	70-85
Blades	44-20"	44-22"	42-20"	42-22"	40-20"	40-22"
Spacing (in.)	7 1/2"	7 1/2"	9 - 7 1/2"	9 - 7 1/2"	9"	9"
Weight	3,340#	3,538#	3,330#	3,519#	3,390#	3,570#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$17,123	\$18,052	\$16,540	\$17,836	\$16,948	\$17,618

OPTIONAL EQUIPMENT

OPTIONAL EQUIPMENT FOR TW5

HEAVY SCRAPER KIT FOR TW5 SERIES 8' - 9'6" MODELS

Model #	Model Kit Fit	Weight	List
SK7245	TW724	210#	\$1,657
SK9205	TW920	192#	\$1,596
SK97225	TW9722	205#	\$1,619
SK9245	TW924	215#	\$1,763
SK97265	TW9726	225#	\$1,813
SK7285	TW728	235#	\$1,889

OPTIONAL EQUIPMENT FOR TW5 SERIES 8' - 9' 6" MODELS

Part #	Description	Weight	List
T70316	Outrigger Assembly with 16" blades	42#	\$395
T70318	Outrigger Assembly with 18" blades	46#	\$417
15169	Outrigger Scraper Kit (both sides)	22#	\$189
11477	Balk Breaker Assembly with Point	27#	\$391
12875	SMV Sign & Bracket	6#	\$70
13187	Regreasable Bearings	--	\$49 per bearing
	Plain Blades	--	\$5

OPTIONAL EQUIPMENT TW5 10'6" - 15' MODELS

Part #	Description	Weight	List
13160T	Dual Wheel Kit with 9.5L Tires	118#	\$1,446
T70316	Outrigger Kit with 16" plain blades	42#	\$391
T70318	Outrigger Kit with 18" plain blades	46#	\$417
15169	Outrigger Scraper Kit (both sides)	22#	\$189
11476	Balk Breaker Assembly with Point	27#	\$391
12875	SMV Sign & Bracket	6#	\$75
13187	Regreasable Bearings	--	\$49 per bearing
	Plain Blades	--	\$5 per blade



OPTIONAL EQUIPMENT FOR TW5

TW5 ROLLER BASKET

Model #	Model Kit Fit	Baskets	Width	Weight	List
RB1508	TW5 series - 8' cut**	2-54	117"	788#	\$3,534
RB1509	TW5 series - 9'6" cut**	2-60"	129"	798#	\$3,873
RB1510	TW5 series - 10'6" cut**	2-66"	141"	809#	\$4,055
RB1512	TW5 series - 12' cut**	2-78"	165"	833#	\$4,893



TW973022

Shown with optional Roller Basket -RB15410

HEAVY SCRAPER KIT TW5 10'6" - 15' MODELS

Model #	Model Kit Fit	Weight	List
SK9285	TW928	309#	\$1,924
SK97305	TW9730	318#	\$1,953
SK7325	TW732	328#	\$2,190
SK9325	TW932	389#	\$2,202
SK97345	TW9734	403#	\$2,290
SK7365	TW736	413#	\$2,392
SK9365	TW936	427#	\$2,416
SK7405	TW740	456#	\$2,563
SK97385	TW9738	442#	\$2,579
SK7445	TW744	461#	\$2,738
SK97425	TW9742	520#	\$2,581
SK9405	TW940	446#	\$2,709



TW6 SERIES

TW6 SERIES

TANDEM WHEEL - TYPE DISC HARROW

- Designed for 60 to 160 horsepower tractors
- Heavy duty 6" x 4" and 4" x 4" main frame
- 1 1/2" Hi-strength gang axles
- Triple sealed ball bearings
- 9" or 10 1/2" blade spacing
- 22" or 24" blades
- Notched blades
- Tongue jack & safety chain
- 4 x 8 Hydraulic cylinder, set of hydraulic hoses
- Dual Wheels, 4- 9.5L 15 6 ply implement tires
- SMV Sign



TW692822

TW6 SERIES 22" BLADES (9' - 12')

MODEL #	TW6102022	TW692422	TW692822	TW6102422	TW693222	TW6102822
Cut Width (ft.)	9'	9' 6"	10' 6"	10' 6"	12'	12'
Bearings	8	8	8	8	8	8
Horsepower	60-75	65-75	65-75	70-85	80-90	85-95
Blades	20-22"	24-22"	28-22"	24-22"	32-22"	28-22"
Spacing (in.)	10 1/2"	9"	9"	10 1/2"	9"	10 1/2"
Weight	3,231#	3,349#	4,065#	3,991#	4,410#	4,260#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$15,740	\$16,320	\$17,636	\$16,802	\$18,883	\$18,239

TW6 SERIES 24" BLADES (9' - 12')

MODEL #	TW6102024	TW692424	TW692824	TW6102424	TW693224	TW6102824
Cut Width (ft.)	9'	9' 6"	10' 6"	10' 6"	12'	12'
Bearings	8	8	8	8	8	8
Horsepower	60-75	65-75	65-75	70-85	80-90	85-95
Blades	20-24"	24-24"	28-24"	24-24"	32-24"	28-24"
Spacing (in.)	10 1/2"	9"	9"	10 1/2"	9"	10 1/2"
Weight	3,511#	3,679#	4,401#	4,279#	4,794#	4,570#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$16,388	\$17,178	\$18,497	\$17,392	\$20,242	\$19,351

TW6 SERIES 22" BLADES (13' 4" - 17')

MODEL #	TW693622	TW6103222	TW694022	TW6103622	TW694422	TW6104022
Cut Width (ft.)	13' 4"	13' 4"	15'	15'	16' 8"	17'
Bearings	12	12	12	12	16	16
Horsepower	110-120	110-120	120-140	120-140	130-150	140-160
Blades	36-22"	32-22"	40-22"	36-22"	44-22"	40-22"
Spacing (in.)	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"
Weight	4,726#	4,586#	5,059#	4,887#	5,409#	5,630#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$21,141	\$20,079	\$22,774	\$21,614	\$24,199	\$24,879

TW6 SERIES 24" BLADES (13' 4" - 17')

MODEL #	TW693624	TW6103224	TW694024	TW6103624	TW694424	TW6104024
Cut Width (ft.)	13' 4"	13' 4"	15'	15'	16' 8"	17'
Bearings	12	12	12	12	16	16
Horsepower	110-120	110-120	120-140	120-140	130-150	140-160
Blades	36-24"	32-24"	40-24"	36-24"	44-24"	40-24"
Spacing (in.)	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"
Weight	5,158#	4,970#	5,539#	5,319#	5,937	6,136#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$22,386	\$21,526	\$24,199	\$23,058	\$26,541	\$26,411

TW6 SERIES - SHOCK FLEX TANDEM WHEEL - TYPE DISC HARROW

- Designed for 60 to 140 horsepower tractors
- Heavy duty 6" x 4" and 4" x 4" main frame
- 1 1/2" Hi-strength gang axles
- Triple sealed ball bearings
- 9" or 10 1/2" blade spacing
- 22" or 24" blades
- Notched blades
- Tongue jack & safety chain
- 4 x 8 Hydraulic cylinder, set of hydraulic hoses
- Dual Wheels, 4-9.5L 15 6 ply implement tires
- SMV Sign



TW6 SERIES 22" BLADES (SHOCK FLEX)

MODEL #	TW692822SF	TW6102422SF	TW693222SF	TW6102822SF	TW693622SF	TW6103222SF	TW694022SF	TW6103622SF
Cut Width (ft.)	10' 6"	10' 6"	12'	12'	13' 4"	13' 4"	15'	15'
Bearings	8	8	8	8	12	12	12	12
Horsepower	65-75	70-85	80-90	85-95	110-120	110-120	120-140	120-140
Blades	28-22"	24-22"	32-22"	28-22"	36-22"	32-22"	40-22"	36-22"
Spacing (in.)	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"
Weight	4,533#	4,595#	4,828#	4,550#	5,144#	4,940#	5,477#	5,305#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$19,692	\$18,326	\$20,856	\$20,293	\$22,904	\$22,914	\$25,662	\$24,906

TW6 SERIES 24" BLADES (SHOCK FLEX)

MODEL #	TW692824SF	TW6102424SF	TW693224SF	TW6102824SF	TW693624SF	TW6103224SF	TW694024SF	TW6103624SF
Cut Width (ft.)	10' 6"	10' 6"	12'	12'	13' 4"	13' 4"	15'	15'
Bearings	8	8	8	8	12	12	12	12
Horsepower	65-75	70-85	80-90	85-95	110-120	110-120	120-140	120-140
Blades	28-24"	24-24"	32-24"	28-24"	36-24"	32-24"	40-24"	36-24"
Spacing (in.)	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"	9"	10 1/2"
Weight	4,869#	4,883#	5,212#	4,886#	5,576#	5,324#	5,957#	5,737#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$20,748	\$19,409	\$22,297	\$21,554	\$25,274	\$24,357	\$27,466	\$26,895

OPTIONAL EQUIPMENT FOR TW6

HEAVY SCRAPER KIT TW6 SERIES

Model #	Model Kit Fit	Weight	List
SK10206	TW61020	249#	\$1,600
SK9246	TW6924	278#	\$1,785
SK9286	TW6928	320#	\$2,106
SK10246	TW61024	298#	\$1,879
SK9326	TW6932	353#	\$2,328
SK9366	TW6936	441#	\$2,510
SK10286	TW61028	326#	\$2,144
SK10326	TW61032	406#	\$2,326
SK10366	TW61036	448#	\$2,534
SK9406	TW6940	479#	\$2,713
SK9446	TW6944	574#	\$2,885
SK10406	TW61040	536#	\$2,726

OPTIONAL EQUIPMENT TW6 SERIES

Part #	Description	Weight	List
T70318	Outrigger Kit with 18" plain blades	46#	\$417
15169	Outrigger Scraper Kit (both sides)	22#	\$125
11476	Balk Breaker Assembly with Point	27#	\$391
12875	SMV Sign & Bracket	6#	\$75
13188	Regreasable Bearings	--	\$49 Each
	Plain Blades	--	\$5 per blade

TW6 ROLLER BASKET

Model #	Model Kit Fit	Baskets	Width	Weight	List
RB1610	TW6 series - 10'6" cut**	2-66"	141"	843#	\$4,281
RB1612	TW6 series - 12' cut**	2-78"	165"	867#	\$4,961
RB1613	TW6 series - 13'6" cut**	2-78"	165"	867#	\$5,300
RB1615	TW6 series - 15' cut**	1-54" / 2-66"	198"	1,013#	\$5,979



38 SERIES OFFSET DISC HARROWS 6' - 10' 6" 9" BLADE SPACING MODELS

- Designed for 50 to 80 horsepower tractors
- 4" Square tube main frame
- 5" x 3" Rectangle gang beams
- 1 1/2" RC steel axles
- Triple sealed ball bearings
- Depth control system
- Front to rear spring loaded leveling system
- Gang angle adjustable
- Tubular or Shock Flex Gang Hangers
- 4 x 8 cylinder, set of hoses
- 2-9.5L 6 ply implement tires
- Tongue jack
- Safety chain
- 22" or 24" Notched blades standard



38 SERIES 22" BLADES (9" SPACING)						
MODEL #	3891622	3891822	3892022	3892222	3892422	3892822
Cut Width (ft.)	6'	6' 8"	7' 6"	8' 4"	9'	10' 6"
Bearings	6	6	8	8	8	8
Horsepower	50	55	55-60	60-65	65-70	75
Blades	16-22"	18-22"	20-22"	22-22"	24-22"	28-22"
Spacing (in.)	9"	9"	9"	9"	9"	9"
Tube Weight	2,614#	2,681#	2,851#	2,947#	3,044#	3,604#
Color Option	Tufliner Red Black	Tufliner Red Black	Tufliner Red Black	Tufliner Red Black	Tufliner Red Black	Tufliner Red Black

Tube List TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING

38 SERIES 22" BLADES (9" SPACING) SHOCK FLEX						
MODEL #	N/A	3891822SF	3892022SF	3892222SF	3892422SF	3892822SF
SF Weight	N/A	2,813#	3,027#	3,123#	3,220#	3,780#
SF List	N/A	TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING				

38 SERIES 24" BLADES (9" SPACING)						
MODEL #	3891624	3891824	3892024	3892224	3892424	3892824
Cut Width (ft.)	6'	6' 8"	7' 6"	8' 4"	9'	10' 6"
Bearings	6	6	8	8	8	8
Horsepower	50	55	55-60	60-65	65-70	75
Blades	16-24"	18-24"	20-24"	22-24"	24-24"	28-24"
Spacing (in.)	9"	9"	9"	9"	9"	9"
Tube Weight	2,806#	2,897#	3,091#	3,211#	3,332#	3,940#
Color Option	Tufliner Red Black	Tufliner Red Black	Tufliner Red Black	Tufliner Red Black	Tufliner Red Black	Tufliner Red Black

Tube List TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING

38 SERIES 24" BLADES (9" SPACING) SHOCK FLEX						
MODEL #	N/A	3891824SF	3892024SF	3892224SF	3892424SF	3892824SF
SF Weight	N/A	3,029#	3,267#	3,387#	3,508#	4,116#
SF List	N/A	TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING				

38 SERIES

38 SERIES

OFFSET DISC HARROWS 6' - 10' 2"

10 1/2" SPACING MODELS

- Designed for 50 to 90 horsepower tractors
- 4" Square tube main frame
- 5" x 3" Rectangle gang beams
- 1 1/2" RC steel axles, triple sealed ball bearings
- Depth control system
- Front to rear spring loaded leveling system
- Tongue & yoke system for side draft control
- Gang angle adjustable
- Tubular gang hangers or shock flex hangers
- 4 x 8 cylinder, set of hoses
- 2-9.5L 6 ply implement tires
- Tongue jack & Safety chain
- 22" or 24" Notched blades standard



38 SERIES 22" BLADES (10 1/2" SPACING)						
MODEL #	38101422	38101622	38101822	38102022	38102222	38102422
Cut Width (ft.)	6'	6' 10"	7' 8"	8' 6"	9' 4"	10' 2"
Bearings	6	6	8	8	8	8
Horsepower	50	55	60	65	70	75
Blades	14-22"	16-22"	18-22"	20-22"	22-22"	24-22"
Spacing (in.)	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"
Tube Weight	2,564#	2,777#	2,889#	2,999#	3,044#	3,312#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black

Tube List **TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING**

38 SERIES 22" BLADES (10 1/2" SPACING) SHOCK FLEX						
MODEL #	N/A	38101622SF	38101822SF	38102022SF	38102222SF	38102422SF
SF Weight	N/A	2,909#	3,065#	3,175#	3,220#	3,488#
SF List	N/A	TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING				

38 SERIES 24" BLADES (10 1/2" SPACING)						
MODEL #	38101424	38101624	38101824	38102024	38102224	38102424
Cut Width (ft.)	6'	6' 10"	7' 8"	8' 6"	9' 4"	10' 2"
Bearings	6	6	8	8	8	8
Horsepower	50	55	60	65	70	75
Blades	14-24"	16-24"	18-24"	20-24"	22-24"	24-24"
Spacing (in.)	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"
Tube Weight	2,732#	2,969#	3,105#	3,239#	3,308#	3,600#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black

Tube List **TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING**

38 SERIES 24" BLADES (10 1/2" SPACING) SHOCK FLEX						
MODEL #	N/A	38101624SF	38101824SF	38102024SF	38102224SF	38102424SF
SF Weight	N/A	3,101#	3,281#	3,415#	3,484#	3,776#
SF List	N/A	TEMPORARILY SUSPENDED - PLEASE CALL FOR PRICING				

OPTIONAL EQUIPMENT FOR 38 SERIES

HEAVY SCRAPER KIT 38 SERIES 9" SPACING MODELS

Model #	Model Kit Fit	Weight	List
SK91638	38916	233#	\$1,462
SK91838	38918	276#	\$1,504
SK92038	38920	294#	\$1,526
SK92238	38922	325#	\$1,697
SK92438	38924	359#	\$1,793
SK92838	38928	460#	\$2,055

HEAVY SCRAPER KIT 38 SERIES 10 1/2" SPACING MODELS

Model #	Model Kit Fit	Weight	List
SK101438	381014	219#	\$1,495
SK101638	381016	252#	\$1,572
SK101838	381018	277#	\$1,572
SK102038	381020	303#	\$1,656
SK102238	381022	330#	\$1,726
SK102438	381024	352#	\$1,819

OPTIONAL EQUIPMENT 38 SERIES

Part #	Description	Weight	List
T7031216	Outrigger Kit with 16" plain blade	21#	\$203
T7031218	Outrigger Kit with 18" plain blade	23#	\$208
13188	Regreasable Bearings 1 1/2	--	\$49 per bearing
13160T	Dual Wheel Kit WITH 9.5L TIRES	118#	\$1,446
12875	Slow Moving Vehicle Sign & Bracket	6#	\$75
--	Plain Blades	--	\$5 per blade



42 SERIES

42 SERIES OFFSET DISC HARROWS 6'8" - 13' 6" 9" SPACING MODELS

- Designed for 60 to 120 horsepower tractors
- 6" x 4" Main frame and 6" x 4" gang beams
- 1 1/2" RC Steel axles, triple sealed ball bearings
- Depth control system and gangs adjustable by turnbuckles
- Standard dual wheels
- Tubular gang hangers or shock flex hangers
- 4 x 8 cylinder, set of hoses
- 4-9.5L 6 ply implement tires
- Tongue jack
- Safety chain
- 24" or 26" Notched blades standard



42102424SF

42 SERIES 24" BLADES (9" SPACING)

MODEL #	4291824	4292024	4292224	4292424	4292824	4293224	4293624
Cut Width (ft.)	6' 8"	7' 6"	8' 4"	9'	10' 6"	12'	13' 6"
Bearings	8	8	8	8	8	12	12
Horsepower	65	75	85-90	95	100	110	120
Blades	18-24"	20-24"	22-24"	24-24"	28-24"	32-24"	36-24"
Spacing (in.)	9"	9"	9"	9"	9"	9"	9"
Tube Weight	3,811#	3,904#	4,154#	4,444#	4,724#	5,016#	5,143#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
Tube List	\$16,795	\$17,345	\$17,928	\$18,405	\$20,516	\$21,953	\$24,201

42 SERIES 24" BLADES (9" SPACING) SHOCK FLEX

MODEL#	4291824SF	4292024SF	4292224SF	4292424SF	4292824SF	4293224SF	4293624SF
SF Weight	3,907#	4,000#	4,250#	4,540#	4,868#	5,161#	5,311#
SF List	\$17,787	\$18,306	\$18,855	\$19,305	\$21,297	\$23,429	\$25,550

42 SERIES 26" BLADES (9" SPACING)

MODEL #	4291826	4292026	4292226	4292426	4292826	4293226	4293626
Cut Width (ft.)	6' 8"	7' 6"	8' 4"	9'	10' 6"	12'	13' 6"
Bearings	8	8	8	8	8	12	12
Horsepower	65	75	85-90	95	100	110	120
Blades	18-26"	20-26"	22-26"	24-26"	28-26"	32-26"	36-26"
Spacing (in.)	9"	9"	9"	9"	9"	9"	9"
Tube Weight	3,942#	4,070#	4,300#	4,576#	4,903#	5,200#	5,487#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
Tube List	\$17,445	\$18,070	\$18,725	\$19,275	\$21,530	\$22,971	\$25,349

42 SERIES 26" BLADES (9" SPACING) SHOCK FLEX

MODEL #	4291826SF	4292026SF	4292226SF	4292426SF	4292826SF	4293226SF	4293626SF
SF Weight	4,038#	4,166#	4,396#	4,672#	5,047#	5,344#	5,655#
SF List	\$19,503	\$20,129	\$20,784	\$21,334	\$23,588	\$25,853	\$28,231

42 SERIES

Offset Disc Harrows 7' 8" - 13' 6"

10 1/2" Spacing Models

- Designed for 65 to 120 horsepower tractors
- 6" x 4" Main frame and 6" x 4" Gang beams
- 1 1/2" RC Steel axles
- Triple sealed ball bearings
- Depth control system
- Standard dual wheels
- Tongue & yoke system for side draft control
- Gangs adjustable by turnbuckles
- Tubular gang hangers or shock flex hangers
- 4 x 8 Cylinder, set of hoses
- 4-9.5L 6 ply implement tires
- Tongue jack & safety chain
- 24" or 26" Notched blades



42 SERIES 24" BLADES (10 1/2" SPACING)

MODEL #	42101824	42102024	42102224	42102424	42102824	42103224
Cut Width (ft.)	7' 8"	8' 6"	9' 4"	10' 2"	11' 10"	13' 6"
Bearings	8	8	8	8	12	12
Horsepower	80-85	90-95	95-100	100	110-115	120
Blades	18-24"	20-24"	22-24"	24-24"	28-24"	32-24"
Spacing (in.)	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"
Tube Weight	3,906#	4,132#	4,298#	4,541#	5,020#	5,134#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
Tube List	\$17,016	\$17,370	\$17,995	\$18,939	\$21,500	\$22,165

42 SERIES 24" BLADES (10 1/2" SPACING) SHOCK FLEX

MODEL #	42101824SF	42102024SF	42102224SF	42102424SF	42102824SF	42103224SF
SF Weight	4,002#	4,228#	4,394#	4,649#	5,164#	5,278#
SF List	\$18,938	\$19,291	\$19,916	\$20,860	\$24,382	\$25,047

42 SERIES 26" BLADES (10 1/2" SPACING)

MODEL #	42101826	42102026	42102226	42102426	42102826	42103226
Cut Width (ft.)	7' 8"	8' 6"	9' 4"	10' 2"	11' 10"	13' 6"
Bearings	8	8	8	8	12	12
Horsepower	80-85	90-95	95-100	100	110-115	120
Blades	18-26"	20-26"	22-26"	24-26"	28-26"	32-26"
Spacing (in.)	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"	10 1/2"
Tube Weight	3,995#	4,264#	4,430#	4,699#	5,525#	5,356#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
Tube List	\$17,670	\$18,095	\$18,793	\$19,809	\$22,512	\$23,325

42 SERIES 26" BLADES (10 1/2" SPACING) SHOCK FLEX

MODEL #	42101826SF	42102026SF	42102226SF	42102426SF	42102826SF	42103226SF
SF Weight	4,091#	4,360#	4,526#	4,807#	5,394#	5,500#
SF List	\$19,591	\$20,016	\$20,714	\$21,730	\$25,394	\$26,207

OPTIONAL EQUIPMENT FOR 42 SERIES

HEAVY SCRAPER KIT 42 SERIES 9" SPACING MODELS

Model #	Model Kit Fit	Weight	List
SK91842	42918	276#	\$1,504
SK92042	42920	294#	\$1,526
SK92242	42922	325#	\$1,635
SK92442	42924	359#	\$1,793
SK92842	42928	460#	\$2,055
SK93242	42932	527#	\$2,327
SK93642	42936	580#	\$2,450

HEAVY SCRAPER KIT 42 SERIES 10 1/2" SPACING MODELS

Model #	Model Kit Fit	Weight	List
SK101842	421018	277#	\$1,572
SK102042	421020	303#	\$1,656
SK102242	421022	330#	\$1,726
SK102442	421024	352#	\$1,819
SK102842	421028	410#	\$2,172
SK103242	421032	527#	\$2,327

OPTIONAL EQUIPMENT 42 SERIES

Part #	Description	Weight	List
T7031218	Outrigger Kit with 18" plain blade	23#	\$227
T7031220	Outrigger kit with 20" plain blade	23#	\$243
13188	Regreasable Bearings 1 1/2"	--	\$49 per bearing
12875	Slow Moving Vehicle Sign & Bracket	6#	\$75
--	Plain Blades	--	\$5 per blade



VT SERIES

VERTICAL TILLAGE

- Designed for 85-150 horsepower tractors
- 1 1/8" RC Square cold drawn axles,
- Sealed ball bearings
- Front to rear leveling system
- Angle adjustable by 0-12*
- 20" Straight Fluted or 22" V-Trex Concave blades
- Shock Flex Hangers
- Tongue jack & safety chain
- Hydraulic cylinder & hoses
- (4) 11L- 15 8 ply Imp. tires
- Rolling Basket
- SMV Sign



TV73620S

VT SERIES FLUTED BLADES

MODEL #	VT73220S	TV73220L	VT73620S	VT73620L	VT74020S	VT74020L	VT74420S	VT74420L
Cut Width (ft.)	10'6"	10' 6"	12'	12'	13' 6"	13' 6"	15'	15'
Bearings	12 Sealed	12 Re-lube	12 Sealed	12 Re-lube	16 Sealed	16 Re-lube	16 Sealed	16 Re-lube
Horsepower	85-100	85-100	95-120	95-120	105-130	105-130	120-150	120-150
Blades	32-20"	32-20"	36-20"	36-20"	40-20"	40-20"	44-20"	44-20"
Spacing (in.)	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"
Weight	5,980#	5,980#	6,864#	6,864#	7,760#	7,760#	8,075#	8,075#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$33,006	\$33,670	\$34,787	\$35,451	\$36,640	\$37,525	\$39,150	\$40,036

VT SERIES VT-REX BLADES

MODEL #	VT73222S	TV73222L	VT73622S	VT73622L	VT74022S	VT74022L	VT74422S	VT74422L
Cut Width (ft.)	10'6"	10' 6"	12'	12'	13' 6"	13' 6"	15'	15'
Bearings	12 Sealed	12 Re-lube	12 Sealed	12 Re-lube	16 Sealed	16 Re-lube	16 Sealed	16 Re-lube
Horsepower	85-100	85-100	95-120	95-120	105-130	105-130	120-150	120-150
Blades	32-22"	32-22"	36-22"	36-22"	40-22"	40-22"	44-22"	44-22"
Spacing (in.)	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"
Weight	6,140#	6,140#	7,044#	7,044#	7,960#	7,960#	8,295#	8,295#
Color Option	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black	Tufline Red Black
List	\$33,449	\$34,112	\$35,285	\$35,950	\$37,194	\$38,080	\$39,759	\$40,645



TV73620S

OPTIONAL EQUIPMENT FOR VT SERIES

HEAVY SCRAPER KIT VT SERIES

Model #	Model Kit Fit	Weight	List
SK732VT	VT732	328#	\$2,236
SK736VT	VT736	413#	\$2,434
SK740VT	VT740	456#	\$2,609
SK744VT	VT744	461#	\$2,777

OPTIONAL EQUIPMENT VT SERIES

Part #	Description	Weight	List
T70318	Outrigger Kit with 18" plain blade	46#	\$417
T70320	Outrigger Kit with 20" plain blade	52#	\$433
11476	Balk Breaker, with Point	34#	\$391



Tufline

Well Built, Performance Driven Implements

Monroe Tufline Mfg.

P.O. Box 7755 • 2219 Tufline Lane
Columbus, MS 39705
Phone: 662-328-8347
Fax: 662-328-8361
www.monroetufline.com



GENUINE
MS

