




Prices Effective October 24, 2016

Supersedes all previous price sheets



Standard Duty, 14'-4' PARTIAL TILT Trailer, 10,000 GVW

Standard Design and Performance Characteristics

2T000249

6" tubular steel frame w/ Cushion hydraulic system

Tilting bed cross member spacing of 10 inches

81" bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

2T000047

Tandem 6,000 lb 6 bolt torsion flex axles w/ electric brakes & E-Z Lube spindles

2T000250

225 75 R15 Load Range E Import radial tires on 6 bolt white mod rims

2T000027

Painted steel deck w/ non-slip silica sand finish on tilting deck

2T000020

Treated/kiln dried southern yellow pine on stationary deck

Steel hand sanded/phosphate washed for superior paint adhesion

Choice of paint colors: red, black, gray, and construction yellow

D.O.T. approved conspicuity tape and breakaway kit w/ battery

Truck-Lite LED lights w/ sealed wire harness & 7 pole RV plug

Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb

Evenly spaced stake pockets (6/side) Full width front bump rail

Single 12,000 lb dropleg sidewind jack

Model #		MSRP
14-4PT	14' Tilting, 4' Stationary Partial Tilt (18' total bed length) (2T000005)	\$ 10,365.00
Options:		
2T000048	6000 lb torsion flex axles w/electric brakes, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2T000244	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2T000049	7000 lb torsion flex axles w/electric brakes, 8 bolt hubs & 235 85 R16 LRF Import tires	625.00
2T000244	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2T000051	Hyd. 6000 lb torsion flex, surge brake axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2T000250	Trailer GVW of 10,000 lbs.	
2T000052	Hyd. 6000 lb torsion flex, surge brake axles, 8 bolt hubs & 235 85 R16 LRF Import tires	650.00
2T000244	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2T000053	Hyd. 7000 lb torsion flex surge brake axles, 8 bolt hubs & 235 85 R16 LRF Import tires	850.00
2T000244	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2T000028	14' Tilt deck rubber flooring (I.L.O. sanded steel)	660.00
2T000111	4' Stationary deck rubber flooring (I.L.O. southern pine)	235.00
2T000247	Closed hydraulic system (Locks with ball valve)	400.00
2T000232	Hydraulic surge brakes (I.L.O. electric brakes)	550.00
2T000072	Chain tray	60.00
2T000060	Spare tire carrier	50.00
2T000158	D-Rings (Per Pair)	30.00
2T000186	Custom trailer color	140.00
2T000251	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim	265.00
2T000245	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim	280.00

Terms: 2% 10 days, net 30 days

F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.


Toll Free: 888-274-6010

Web: www.maurermfg.com



Prices Effective October 24, 2016

Supersedes all previous price sheets



Standard Duty, 14'-6' PARTIAL TILT Trailer, 10,000 GVW

Standard Design and Performance Characteristics

- 2T000249 6" tubular steel frame w/ Cushion hydraulic system
Tilting bed cross member spacing of 10 inches
81" bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2T000047 Tandem 6,000 lb 6 bolt torsion flex axles w/ electric brakes & E-Z Lube spindles
2T000250 225 75 R15 Load Range E Import radial tires on 6 bolt white mod rims
2T000027 Painted steel deck w/ non-slip silica sand finish on tilting deck
2T000021 Treated/kiln dried southern yellow pine on stationary deck
Steel hand sanded/phosphate washed for superior paint adhesion
Choice of paint colors: red, black, gray, and construction yellow
D.O.T. approved conspicuity tape and breakaway kit w/ battery
Truck-Lite LED lights w/ sealed wire harness & 7 pole RV plug
Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
Evenly spaced stake pockets (6/side) Full width front bump rail
Single 12,000 lb dropleg sidewind jack

Model #		MSRP
14-6PT	14' Tilting, 6' Stationary Partial Tilt (20' total bed length) (2T000006)	\$ 10,515.00
Options:		
2T000048	6000 lb torsion flex axles w/electric brakes, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2T000254	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2T000049	7000 lb torsion flex axles w/electric brakes, 8 bolt hubs & 235 85 R16 LRF Import tires	625.00
2T000244	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2T000051	Hyd. 6000 lb torsion flex, surge brake axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2T000250	Trailer GVW of 10,000 lbs.	
2T000052	Hyd. 6000 lb torsion flex, surge brake axles, 8 bolt hubs & 235 85 R16 LRF Import tires	650.00
2T000244	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2T000053	Hyd. 7000 lb torsion flex surge brake axles, 8 bolt hubs & 235 85 R16 LRF Import tires	850.00
2T000244	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2T000028	14' Tilt deck rubber flooring (I.L.O. sanded steel)	660.00
2T000112	6' Stationary deck rubber flooring (I.L.O. southern pine)	280.00
2T000247	Closed hydraulic system (Locks with ball valve)	400.00
2T000232	Hydraulic surge brakes (I.L.O. electric brakes)	550.00
2T000072	Chain tray	60.00
2T000060	Spare tire carrier	50.00
2T000158	D-Rings (Per Pair)	30.00
2T000186	Custom trailer color	140.00
2T000251	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim	265.00
2T000245	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim	280.00

Terms: 2% 10 days, net 30 days

F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.


Toll Free: 888-274-6010

Web: www.maurermfg.com



Prices Effective May 9, 2016

Supersedes all previous price sheets



Standard Duty, 14'- 2' Utility Trailer, Slide-In Ramps, 10,000 GVW

Standard Design and Performance Characteristics

6" Channelframe and wraparound tongue construction

3" Junior I-Beam crossmembers at 16" centers

81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

2U19 & 2U26

Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs

2U000096

225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims

Steel hand sanded/phosphate washed for superior paint adhesion

Choice of paint colors: red, black, gray, and construction yellow

D.O.T. approved conspicuity tape and breakaway kit w/ battery

2U87 & 2U43

Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug

2U000022

Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb

Evenly spaced stake pockets (4/side) Full width front bump rail

2U000008

Treated/kiln dried southern yellow pine

2U000045

Single 12,000 lb dropleg sidewind jack

Model # 142SI

2U03 & 2U17 14' Bed plus 2' steel dovetail w/ 2 slide in ramps

MSRP

\$ 5,885.00

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000009	Rumber flooring (I.L.O. Southern pine)	1,820.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim	10K 265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim	12-14K 280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim	16K 395.00

Terms: 2% 10 days, net 30 days


F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.

Toll Free: 888-274-6010

Web: www.maurermfg.com



Standard Duty, 14'- 2' Utility Trailer, Tip-Up Ramps, 10,000 GVW

Standard Design and Performance Characteristics

- 6" Channelframe and wraparound tongue construction
- 3" Junior I-Beam crossmembers at 16" centers
- 81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2U19 & 2U26**
2U000096
Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs
225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims
Steel hand sanded/phosphate washed for superior paint adhesion
Choice of paint colors: red, black, gray, and construction yellow
D.O.T. approved conspicuity tape and breakaway kit w/ battery
- 2U87 & 2U43**
2U000022
Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug
Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
Evenly spaced stake pockets (4/side) Full width front bump rail
- 2U000008**
2U000045
Treated/kiln dried southern yellow pine
Single 12,000 lb dropleg sidewind jack

Model # 142TU

2U03 & 2U15 14' Bed plus 2' steel dovetail w/ 2 tip-up ramps

MSRP
\$ 6,325.00

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000009	Rubber flooring (I.L.O. Southern pine)	1,820.00
2U000085	Spring assist ramps	100.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim 10K	265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim 12-14K	280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim 16K	395.00

Terms: 2% 10 days, net 30 days

F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.


Toll Free: 888-274-6010

Web: www.maurermfg.com



Prices Effective May 9, 2016

Supersedes all previous price sheets



Standard Duty, 14' Utility Trailer, Slide-In Ramps, 10,000 GVW

Standard Design and Performance Characteristics

6" Channelframe and wraparound tongue construction

3" Junior I-Beam crossmembers at 16" centers

81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

2U18 & 2U26

2U000096

Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs
225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims

Steel hand sanded/phosphate washed for superior paint adhesion

Choice of paint colors: red, black, gray, and construction yellow

D.O.T. approved conspicuity tape and breakaway kit w/ battery

2U87 & 2U43

2U000022

Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug

Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb

Evenly spaced stake pockets (3/side) Full width front bump rail

2U000008

Treated/kiln dried southern yellow pine

2U000045

Single 12,000 lb dropleg sidewind jack

Model # 140SI

MSRP

2U02 & 2U16 14' Bed w/ 2 slide in ramps

\$ 5,390.00

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000009	Rumber flooring (I.L.O. Southern pine)	1,820.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim	10K 265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim	12-14K 280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim	16K 395.00

Terms: 2% 10 days, net 30 days


F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.

Toll Free: 888-274-6010

Web: www.maurermfg.com



Standard Duty, 14' Utility Trailer, Tip-Up Ramps, 10,000 GVW

Standard Design and Performance Characteristics

- 6" Channelframe and wraparound tongue construction
- 3" Junior I-Beam crossmembers at 16" centers
- 81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2U18 & 2U26**
2U000096
 - Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs
 - 225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims
 - Steel hand sanded/phosphate washed for superior paint adhesion
 - Choice of paint colors: red, black, gray, and construction yellow
 - D.O.T. approved conspicuity tape and breakaway kit w/ battery
- 2U87 & 2U43**
2U000022
 - Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug
 - Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
 - Evenly spaced stake pockets (3/side) Full width front bump rail
- 2U000008**
 - Treated/kiln dried southern yellow pine
- 2U000045**
 - Single 12,000 lb dropleg sidewind jack

Model # 140TU

2U02 & 2U14 14' Bed w/ 2 tip-up ramps

MSRP
\$ 5,755.00

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000009	Rumber flooring (I.L.O. Southern pine)	1,820.00
2U000085	Spring assist ramps	100.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim 10K	265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim 12-14K	280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim 16K	395.00

Terms: 2% 10 days, net 30 days

F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.


Toll Free: 888-274-6010

Web: www.maurermfg.com



Prices Effective May 9, 2016

Supersedes all previous price sheets



Standard Duty, 16'- 2' Utility Trailer, Slide-In Ramps, 10,000 GVW

Standard Design and Performance Characteristics

6" Channelframe and wraparound tongue construction

3" Junior I-Beam crossmembers at 16" centers

81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs

225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims

Steel hand sanded/phosphate washed for superior paint adhesion

Choice of paint colors: red, black, gray, and construction yellow

D.O.T. approved conspicuity tape and breakaway kit w/ battery

Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug

Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb

Evenly spaced stake pockets (5/side) Full width front bump rail

Treated/kiln dried southern yellow pine

Single 12,000 lb dropleg sidewind jack

2U19 & 2U26

2U000096

2U87 & 2U43

2U000022

2U000010

2U000045

Model # 162SI

2U05 & 2U17 16' Bed plus 2' steel dovetail w/ 2 slide in ramps

MSRP

\$ 6,140.00

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000011	Rumber flooring (I.L.O. Southern pine)	2,020.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim	10K 265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim	12-14K 280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim	16K 395.00

Terms: 2% 10 days, net 30 days

F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.


All pricing and specifications are subject to change without notice.

Toll Free: 888-274-6010

Web: www.maurermfg.com



Prices Effective May 9, 2016
Supersedes all previous price sheets



Standard Duty, 16'- 2' Utility Trailer, Tip-Up Ramps, 10,000 GVW

Standard Design and Performance Characteristics

- 6" Channelframe and wraparound tongue construction
- 3" Junior I-Beam crossmembers at 16" centers
- 81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2U19 & 2U26**
2U000096
 - Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs
 - 225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims
 - Steel hand sanded/phosphate washed for superior paint adhesion
 - Choice of paint colors: red, black, gray, and construction yellow
 - D.O.T. approved conspicuity tape and breakaway kit w/ battery
- 2U87 & 2U43**
2U000022
 - Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug
 - Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
- 2U000010**
2U000045
 - Evenly spaced stake pockets (5/side) Full width front bump rail
 - Treated/kiln dried southern yellow pine
 - Single 12,000 lb dropleg sidewind jack

Model # 162TU

2U05 & 2U15 16' Bed plus 2' steel dovetail w/ 2 tip-up ramps

MSRP
\$ 6,505.00

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000011	Rumber flooring (I.L.O. Southern pine)	2,020.00
2U000085	Spring assist ramps	100.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim	10K 265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim	12-14K 280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim	16K 395.00

Terms: 2% 10 days, net 30 days


F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.

Toll Free: 888-274-6010

Web: www.maurermfg.com



Standard Duty, 16' Utility Trailer, Slide-In Ramps, 10,000 GVW

Standard Design and Performance Characteristics

- 6" Channelframe and wraparound tongue construction
- 3" Junior I-Beam crossmembers at 16" centers
- 81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2U19 & 2U26 Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs
- 2U000096 225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims
- Steel hand sanded/phosphate washed for superior paint adhesion
- Choice of paint colors: red, black, gray, and construction yellow
- D.O.T. approved conspicuity tape and breakaway kit w/ battery
- 2U87 & 2U43 Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug
- 2U000022 Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
- Evenly spaced stake pockets (4/side) Full width front bump rail
- 2U000010 Treated/kiln dried southern yellow pine
- 2U000045 Single 12,000 lb dropleg sidewind jack

Model # 160SI

2U04 & 2U78 16' Bed w/ 2 slide in ramps

MSRP

\$ 5,640.00

Options:


2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000011	Rumber flooring (I.L.O. Southern pine)	2,020.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim	10K 265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim	12-14K 280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim	16K 395.00

Terms: 2% 10 days, net 30 days

F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.



Standard Duty, 16' Utility Trailer, Tip-Up Ramps, 10,000 GVW

Standard Design and Performance Characteristics

- 6" Channelframe and wraparound tongue construction
- 3" Junior I-Beam crossmembers at 16" centers
- 81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2U19 & 2U26**
 - 225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims
- 2U000096**
 - Steel hand sanded/phosphate washed for superior paint adhesion
 - Choice of paint colors: red, black, gray, and construction yellow
 - D.O.T. approved conspicuity tape and breakaway kit w/ battery
- 2U87 & 2U43**
 - Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug
- 2U000022**
 - Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
- 2U000010**
 - Evenly spaced stake pockets (4/side) Full width front bump rail
- 2U000045**
 - Treated/kiln dried southern yellow pine
 - Single 12,000 lb dropleg sidewind jack

Model #160TU

2U04 & 2U77 16' Bed w/ 2 tip-up ramps \$ **MSRP 6,005.00**

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000011	Rumber flooring (I.L.O. Southern pine)	2,020.00
2U000085	Spring assist ramps	100.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim 10K	265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim 12-14K	280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim 16K	395.00

Terms: 2% 10 days, net 30 days


F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.

Toll Free: 888-274-6010

Web: www.maurermfg.com



Standard Duty, 18'- 2' Utility Trailer, Tip-Up Ramps, 10,000 GVW

Standard Design and Performance Characteristics

- 6" Channelframe and wraparound tongue construction
- 3" Junior I-Beam crossmembers at 16" centers
- 81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2U19 & 2U26**
2U000096 Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs
225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims
Steel hand sanded/phosphate washed for superior paint adhesion
Choice of paint colors: red, black, gray, and construction yellow
D.O.T. approved conspicuity tape and breakaway kit w/ battery
- 2U87 & 2U43**
2U000022 Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug
Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
Evenly spaced stake pockets (5/side) Full width front bump rail
- 2U000012**
2U000045 Treated/kiln dried southern yellow pine
Single 12,000 lb dropleg sidewind jack

Model # 182TU

2U07 & 2U15 18' Bed plus 2' steel dovetail w/ 2 tip-up ramps **\$ MSRP 6,750.00**

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	550.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000013	Rumber flooring (I.L.O. Southern pine)	2,220.00
2U000085	Spring assist ramps	100.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim	10K 265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim	12-14K 280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim	16K 395.00

Terms: 2% 10 days, net 30 days

F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.


All pricing and specifications are subject to change without notice.

Toll Free: 888-274-6010

Web: www.maurermfg.com



Prices Effective May 9, 2016
Supersedes all previous price sheets



Standard Duty, 18'- 2' Utility Trailer, Slide-In Ramps, 10,000 GVW

Standard Design and Performance Characteristics

- 6" Channelframe and wraparound tongue construction
- 3" Junior I-Beam crossmembers at 16" centers
- 81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2U19 & 2U26**
 - Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs
- 2U000096**
 - 225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims
 - Steel hand sanded/phosphate washed for superior paint adhesion
 - Choice of paint colors: red, black, gray, and construction yellow
 - D.O.T. approved conspicuity tape and breakaway kit w/ battery
- 2U87 & 2U43**
 - Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug
- 2U000022**
 - Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
- 2U000012**
 - Evenly spaced stake pockets (5/side) Full width front bump rail
- 2U000045**
 - Treated/kiln dried southern yellow pine
 - Single 12,000 lb dropleg sidewind jack

Model # 182SI

MSRP

2U07 & 2U17 18' Bed plus 2' steel dovetail w/ 2 slide in ramps \$ 6,385.00

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	550.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000013	Rumber flooring (I.L.O. Southern pine)	2,220.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim 10K	265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim 12-14K	280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim 16K	395.00

Terms: 2% 10 days, net 30 days

F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.


Toll Free: 888-274-6010

Web: www.maurermfg.com



Prices Effective May 9, 2016

Supersedes all previous price sheets



Standard Duty, 18' Utility Trailer, Slide-In Ramps, 10,000 GVW

Standard Design and Performance Characteristics

- 6" Channelframe and wraparound tongue construction
- 3" Junior I-Beam crossmembers at 16" centers
- 81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2U19 & 2U26
2U000096 Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs
225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims
Steel hand sanded/phosphate washed for superior paint adhesion
Choice of paint colors: red, black, gray, and construction yellow
D.O.T. approved conspicuity tape and breakaway kit w/ battery
- 2U87 & 2U43
2U000022 Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug
Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
Evenly spaced stake pockets (5/side) Full width front bump rail
- 2U000012
2U000045 Treated/kiln dried southern yellow pine
Single 12,000 lb dropleg sidewind jack

Model # 180SI	MSRP
2U06 & 2U80 18' Bed w/ 2 slide in ramps	\$ 5,890.00

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000013	Rumber flooring (I.L.O. Southern pine)	2,220.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim 10K	265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim 12-14K	280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim 16K	395.00

Terms: 2% 10 days, net 30 days

F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.


Toll Free: 888-274-6010

Web: www.maurermfg.com



Prices Effective May 9, 2016

Supersedes all previous price sheets



Standard Duty, 18' Utility Trailer, Slide-In Ramps, 10,000 GVW

Standard Design and Performance Characteristics

- 6" Channelframe and wraparound tongue construction
- 3" Junior I-Beam crossmembers at 16" centers
- 81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2U19 & 2U26**
2U000096
Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs
225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims
Steel hand sanded/phosphate washed for superior paint adhesion
Choice of paint colors: red, black, gray, and construction yellow
D.O.T. approved conspicuity tape and breakaway kit w/ battery
- 2U87 & 2U43**
2U000022
Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug
Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
Evenly spaced stake pockets (5/side) Full width front bump rail
- 2U000012**
2U000045
Treated/kiln dried southern yellow pine
Single 12,000 lb dropleg sidewind jack

Model # 180SI	MSRP
2U06 & 2U80 18' Bed w/ 2 slide in ramps	\$ 5,890.00

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000013	Rumber flooring (I.L.O. Southern pine)	2,220.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim 10K	265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim 12-14K	280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim 16K	395.00

Terms: 2% 10 days, net 30 days


F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.

Toll Free: 888-274-6010

Web: www.maurermfg.com



Standard Duty, 18' Utility Trailer, Tip-Up Ramps, 10,000 GVW

Standard Design and Performance Characteristics

- 6" Channelframe and wraparound tongue construction
- 3" Junior I-Beam crossmembers at 16" centers
- 81" Bed width between fenders, 14 ga. fenders w/ mudflaps

Standard Features:

- 2U19 & 2U26**
2U000096
Tandem 6,000 lb spring axles w/ electric brakes, 6 bolt hubs
225 75 R15 Load Range E Import radial tires w/ 6 bolt white mod rims
Steel hand sanded/phosphate washed for superior paint adhesion
Choice of paint colors: red, black, gray, and construction yellow
D.O.T. approved conspicuity tape and breakaway kit w/ battery
- 2U87 & 2U43**
2U000022
Truck-Lite LED lights w/ sealed wire harness & 7-pole RV plug
Adjustable 2 5/16" ball or pintle coupler, each rated @ 20,000 lb
Evenly spaced stake pockets (5/side) Full width front bump rail
- 2U000012**
2U000045
Treated/kiln dried southern yellow pine
Single 12,000 lb dropleg sidewind jack

Model # 180TU

2U06 & 2U79 18' Bed w/ 2 tip up ramps \$ **MSRP**
6,255.00

Options:

2U000074	Elec. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	295.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000028	Elec. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF Import tires	500.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000030	Elec. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000027	Hyd. 6000 lb spring axles, 6 bolt hubs & 225 75 R15 LRE Import tires	450.00
2U000096	Trailer GVW of 10,000 lbs.	
2U000075	Hyd. 6000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	450.00
2U000092	Trailer GVW of 12,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000029	Hyd. 7000 lb spring axles, 8 bolt hubs & 235 85 R16 LRF tires	850.00
2U000092	Trailer GVW of 14,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000031	Hyd. 8000 lb spring axles, 8 bolt hubs & 215 75 R17.5 LRH Import tires	3,450.00
2U000036	Trailer GVW of 16,000 lbs. (I.L.O. 6K, 6 Bolt, 225 75 R15 LRE)	
2U000088	Hydraulic Surge Brake Option (I.L.O. Electric Brakes)	550.00
2U000013	Rumber flooring (I.L.O. Southern pine)	2,220.00
2U000085	Spring assist ramps	100.00
2U000046	Chain tray	60.00
2U000001	Spare tire carrier	50.00
2U000055	D-Rings (Per Pair)	30.00
2U000072	Custom trailer color	140.00
2U000097	Spare 225 75 R15 LRE Import tire and 6 bolt white mod rim 10K	265.00
2U000093	Spare 235 85 R16 LRF Import tire and 8 bolt white mod rim 12-14K	280.00
2U000041	Spare 215 75 R17.5 LRH Import tire and 8 bolt gray OEM rim 16K	395.00

Terms: 2% 10 days, net 30 days

F.O.B. Spencer, Iowa

Change requests to invoiced trailers may be subject to additional charges.

All pricing and specifications are subject to change without notice.

Toll Free: 888-274-6010

Web: www.maurermfg.com