

# Tebben Price List Index

10-1-2008

Page Number	Product
1	Row Crop Cultivator – Danish Tine
2	Row Crop Cultivator – Heavy Duty
3	Single Shank Cultivator
4	Precision Cultivator
5	Rotary Cutter
6	Variable Offset Rotary Cutter
7	Deep Till/Chisel Plow
9	ConservTill Cultivator
11	Trac Remover
12	Tebben Shields
13	Invert All
14	Clear Vision Dust Vacuum
15	3 Point Mounted Fork Lift
15	Skid Steer Fork Attachment
15	Tebben Snow Bucket
16	Pik-Rite
17	Quick Change 2000
18	E-Z Roll

***FARMCO DISTRIBUTING INC***

13619 SOUTH DEWITT ROAD, LANSING, MI 48906

PHONE: 517-669-8391 FAX: 517-669-6405

[www.farmco.com](http://www.farmco.com)

# TEBBEN Row Crop Cultivator Danish Tine

Standard Equipment Includes: H bar parallel with greaseless bronze bushings, crank adjust gang gauge wheels, adjustable rear tine and 2 1/2" x 4" x 42" gang tube.

Straight Beam: Does not include stabilizers, tool bar gauge wheels, shovels or shovel bolts.

MODEL NO.	NO. ROWS	ROW SPACING	NO. GANGS	TUBE SUZE	TUBE LENGTH	NO TINES	WGT.	LIST PRICE
TZ9040-4	4	30-40	5	5x7	172	21	1280	\$ 3,082.00
TZ9030-6	6	30	7	5x7	192	19	1685	\$ 4,143.00
TZ9040-6	6	36-40	7	5X7	250	31	1770	\$ 4,428.00
TZ9030-8	8	30	9	5X7	250	25	2147	\$ 5,300.00
TZ9040-8	8	36-40	9	7X7	330	41	2260	\$ 6,039.00

Flat Fold Models (FF) Includes: Hydraulic cylinders and hoses to mast, 2 stabilizers, 2 tool bar gauge wheels less tires; Does not include shovels or shovel bolts.

TZ9030-8FF	8	30	9	7x7	130C 59W	41	2872	\$ 9,166.00
TZ9040-8FF	8	36-40	9	7x7	186C 71W	41	3045	\$ 9,486.00
TZ9030-12FF	12	30	13	7x7	203C 83W	61	3850	\$ 12,341.00
TZ9030-16FF	16	30	17	Double 5x7 and 7x7	264C 118W	81	5450	\$ 19,424.00

OTHER SIZES AVAILABLE -- CALL FOR PRICES

## OPTIONAL EQUIPMENT

MFG NO.	DESCRIPTION	WGT. LBS.	LIST PRICE
TZ90-925	2 Row Add On Pallet, 5x7 Beam, 10 Danish Tines.....		\$ 1,033.00
TZ90-915	Stabilizer Coulter, End Mount, 5x7, Each .....	90	\$ 298.00
TZ90-917	Stabilizer Coulter, End Mount, 7x7, Each .....	90	\$ 304.00
TZ90-920	Tool Bar Gauge Wheel Assembly, 15" Wheels, 5x7, Less Tires, Pair .....	192	\$ 555.00
TZ90-921	Tool Bar Gauge Wheel Assembly, 15" Wheels, 7x7 Less Tires, Pair .....	192	\$ 572.00
TZ75-00-14	"S" Tine Only .....	5	\$ 17.00
TZ75-00-3	Shovel 1 3/8" .....	33	\$ 3.00
TZ75-00-4	Shovel 2 3/4" .....	4	\$ 3.00
TZ75-00-5	Shovel 4" .....	5	\$ 4.00
TZ75-00-6	Shovel 7" .....	8	\$ 5.00
TZ75-00-7	Shovel Nut and Bolt .....	1	\$ 1.00
2109-890	Steel Wheel Guide-Order 2 Per Machine.....		\$ 437.00
2109-609	Heavy Duty Danish Tine .....		\$ 20.00
2109-605	Helper Spring for Danish Tine.....		\$ 14.00
TZ90-FMG	Front Mount Gang Assembly in Lieu of Standard Gang (Add Per Gang) .....		\$ 170.00

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008

# TEBBEN Row Crop Cultivator Heavy Duty T Tine

**Standard Equipment Includes:** H bar parallel with greaseless bronze bushings, crank adjust gang gauge wheels, adjustable rear tine and 2 1/2" x 4" x 42" gang tube.

**Straight Beam:** Does not include stabilizers, tool bar gauge wheels, shovels or shovel bolts.

MODEL NO.	NO. ROWS	ROW SPACING	NO. GANGS	TUBE SIZE	TUBE LENGTH	NO TINES	WGT.	LIST PRICE
TZ9040-4T	4	30-40	5	5x7	172	21	1490	\$3,216.00
TZ9030-6T	6	30	7	5x7	192	19	1800	\$4,325.00
TZ9040-6T	6	36-40	7	5X7	250	31	2080	\$4,972.00
TZ9030-8T	8	30	9	5X7	250	25	2300	\$5,525.00
TZ9040-8T	8	36-40	9	7X7	330	41	2670	\$6,381.00

**Flat Fold Models (FF) Includes:** Hydraulic cylinders and hoses to mast, 2 stabilizers, 2 tool bar gauge wheels less tires; Does not include shovels or shovel bolts.

TZ9030-8FFT	8	30	9	7x7	138C 60W	25	2415	\$ 9,464.00
TZ9040-8FFT-5	8	36-40	9	7x7	192C 74W	41	3455	\$10,257.00
TZ9040-8FFT	8	36-40	9	7X7	192C 74W	25	3230	\$ 9,689.00
TZ9030-12-FFT	12	30	13	7x7	90W	37	4075	\$12,573.00
TZ9040-12FFT	12	36-40	13	Double 5x7 and 7x7	256C 106W	61	5200	\$16,384.00
TZ9030-16FFT	16	30	17	Double 5x7 and 7x7	264C 118W	49	6000	\$19,425.00
TZ9030-18FFT	18	30	19	Double 5x7 and 7x7	274C 158W	55	7200	\$22,112.00

*OTHER SIZES AVAILABLE -- CALL FOR PRICES*

## OPTIONAL EQUIPMENT

MFG NO.	DESCRIPTION	WGT. LBS.	LIST PRICE
TZ90-930	2 Row Add On Pallet, 5x7 Beam, 6 T Tines.....		\$1,084.00
TZ90-915	Stabilizer Coulter, end Mount, 5x7, Each.....	90	\$ 298.00
TZ90-917	Stabilizer Coulter, end Mount, 7x7, Each.....	90	\$ 302.00
TZ90-920	Tool Bar Gauge Wheel Assembly, 15" Wheels, 5x7, Less Tires, Pair.....	192	\$ 555.00
TZ90-921	Tool Bar Gauge Wheel Assmly, 15" Wheels, 7x7 Less Tires, Pair.....	192	\$ 572.00
TZ75-00-1948	6" Full Sweep, 47°.....	1	\$ 7.35
TZ75-00-198L	6" Left Hand Half Sweep 47°.....	1	\$ 7.35
TZ85-00-1948R	6" Right Hand Half Sweep 47°.....	1	\$ 7.35
TZ75-00-199	8" Full Sweep 47°.....	1	\$ 10.00
TZ75-00-199L	8" Left Hand Sweep 47°.....	1	\$ 10.00
TZ75-00-199R	8" Right Hand Half Sweep 47°.....	1	\$ 10.00
TZ75-00-7	Shovel Nut and Bolt.....	1	\$ .65
TZ90-825	T-Tine Shank.....	6	\$ 40.00
TZ90-82	Edge Formed Shank.....	8	\$ 60.00
TZ90-828L	Edge Formed Shank in lieu of T-Tine.....		\$ 17.00
TZ90-828A	Edge Formed Shank Assembly Complete (1-Tine, 2-Clamps, 3-Bolt & Nut).....		\$ 76.00

**- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008**

# TEBBEN Single Shank Cultivator

## STANDARD EQUIPMENT

1. Heavy Duty H-Bar Parallels/Greaseless Bronze Bushings.
2. Crank Adjust Down Pressure Springs All Gangs
3. 4 x 16 Gauge Wheels/Greaseable Hub Assembly.
4. Heavy Edge Bent Shank/Adjustable Sweep Settings.
5. Heavy Duty Cat II & III Three Point Assembly.
6. Non Fold Tool Bars have 7 x7 x 1/4" Tubing.
7. Folding Bars 18 Row and Larger have 7 x 7 x 1/4" Rear Tubing and 5 x 7 x 1/4" Front Tubing. All Folding Tool Bars Come Complete Hydraulic Pkg.
8. 14" Sweep 22" Rows/16" Sweep 30" Rows.

## MACHINE MODEL AND SIZE

MODEL NO.	CODE	SIZE	TINES	TRANS. WIDTH	WEIGHT	LIST PRICE
71-630	S*	6 Row 30"	7	192"	2600	\$ 5,278.00
71-830	S*	8 Row 30"	9	250"	3300	\$ 6,780.00
71-1230	FF*	12 Row 30"	13	203"	4900	\$11,601.00
71-1630	FFD*	16 Row 30"	17	260"	6400	\$15,280.00
71-622	S*	6 Row 22"	7	152"	2500	\$ 5,116.00
71-1222	S*	12 Row 22"	13	288"	4400	\$ 9,774.00
71-1622	FFD*	16 Row 22"	17	210	6400	\$16,338.00
71-1822	FFD*	18 Row 22"	19	230	7000	\$16,899.00
71-2422	FFD*	24 Row 22"	25	286"	9400	\$22,510.00

## OPTIONAL EQUIPMENT

MODEL NO.	DESCRIPTION	WGT. LBS.	LIST PRICE
71-100	20" Cutting Coulter Per Gang.....	40	\$ 176.00
1750	Single Rolling Shield Assembly Flip-up (Need 2-gang) 22" Blade/Water Pump Bearing .....	21	\$ 91.00
1755	Double Rolling Shield / Nylon Bearings / 22" Blade .....	42	\$ 159.00
71-130	Steel Wheel Assembly) (2 unit) .....	212	\$ 875.00
71-140	Hard Rubber Assembly (2 units) .....	201	\$ 972.00
71-170	Tool Bar Gauge Wheel Ass./Less Tires (1 pair).....	168	\$ 685.00
21-180	Lift Assist Assembly/less Tire .....	942	\$2,349.00
71-190	King Gang with Tire (In lieu of Standard Gang) .....		\$ 470.00
71-200	Polyurethane Banded Cutaway Assembly Complete.....		\$ 503.00
71-2000D	1 Pair Polyurethane Depth Bands .....		\$ 85.00
CT95-100LS	3 Piece Single Sweep Assembly (In lieu of Single Shank).....		\$ 515.00
71-300	Rear Shank Pitch Adjustment Brkt. (Add per gang) .....		\$ 118.00

Many other sizes of Cultivator and Optional Equipment are available.

Please call for specifications and prices.

\* CODES: S = Straight Bar FF = Flat Fold Bar FFD = Flat Fold Double Bar

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008

# TEBBEN Precision Cultivator

## STANDARD EQUIPMENT

1. Heavy Duty H-Bar Parallels/Greaseless Bronze Bushings.
2. Crank Adjust Gang Gauge Wheels
3. 2.5 x 4 x 42 Long Gang/Adjustable Rear Tine Bracket.
4. Bolt on/Flip Up S-Tine Bracket for Variable Spacing.
5. Heavy Duty Cat II & III Three Point Assembly.
6. Non fold Tool Bars have 7 x7 x 1/4" Tubing.
7. Folding Bars 18 Row and Larger have 7 x 7 x 1/4" Tubing. All Folding Tool Bars come Complete with Hydraulic Package.
8. 4" Shovels/Front Tines & 7" Shovels/Rear Tines.

## BASE CULTIVATOR

MODEL NO.	CODE	SIZE	TINES	TRANS. WIDTH	APPROX. WEIGHT	LIST PRICE
21-524	S	5 Row 24"	18	144"	1500	\$ 4,533.00
21-622	S	6 Row 22"	21	144"	1600	\$ 4,679.00
21-630	S*	6 Row 30"	31	192"	1800	\$ 6,054.00
21-830	S*	8 Row 30"	41	250"	2300	\$ 7,790.00
21-1230	FF*	12 Row 30"	61	203"	3900	\$11,614.00
21-822	S	8 Row 22"	27	240	2100	\$ 6,296.00
21-1222	S*	12 Row 22"	37	288"	2400	\$ 8,788.00
21-1622	FFD*	16 Row 22"	51	210"	5600	\$15,640.00
21-1822	FFD*	18 Row 22"	55	230"	5800	\$16,958.00
21-2422	FFD*	24 Row 22"	73	286"	6900	\$22,523.00
21-1630	FFD*	16 Row 30"	81	290	7100	\$18,315.00

## OPTIONAL EQUIPMENT

MODEL NO.	DESCRIPTION .....	WGT. LBS.	LIST PRICE
21-200	Tunnel Shield Ass. Flip-up (2-rows) 22" .....	128	\$ 313.00
21-200-24	Tunnel Shield Ass. Flip-up (2-rows) 24" .....		\$ 373.00
21-120	Cutaway Assembly Flip-up (2 rows) .....	.88	\$ 399.00
21-130	Steel Wheel Assembly (2 units) .....	.212	\$ 884.00
21-140	Hard Rubber Assembly (2 units) .....	.201	\$ 987.00
21-150	Kind Gang/with Tires (in lieu of Standard Gang Assembly) (1 unit) .....		\$ 312.00
21-160	End Shield Assembly (1 pair) .....	.56	\$ 203.00
21-170	Tool Bar Gauge Wheel Ass./Less Tires (1 pair) .....	.168	\$ 685.00
21-180	Lift Assist Assembly/less Tire .....	.942	\$ 2,280.00
21-201	Helper Spring/Clamp/Danish Tine .....		\$ 20.00
21-FFK	Flat Fold Kit Add to base cultivator price .....		\$ 2,186.00
2109-445	Rear Extension Gang 2 x 2 Tube .....		\$ 41.00
21-2422-FFBC	24 Row 22" Flat Fold Bar Complete/3 Point/Cylinder/Hoses .....		\$ 7,503.00
1700	Single Rolling Shield/16" Blade/ Water Pump Bearing .....	.19	\$ 79.00
1750	Single Rolling Shield/22" Blade/ Water Pump Bearing .....	.23	\$ 91.00
21-300	Flip Up Tine Bracket .....		\$ 38.00
21-301	Penetrator Tine in Lieu of Standard Tine .....		\$ 11.00
21-310	Knife Bracket Assembly .....		\$ 93.00
21-315	Knife Bracket Assembly End Gang .....		\$ 52.00
21-325	3 Tine Gang Assmebly Complete .....		\$ 515.00
21-330	5 Tine Gang Assembly Complete .....		\$ 561.00
71-200-P	Banded cut away assembly complete - bolts to tool bar .....		\$ 503.00

Many other sizes of Cultivator and Optional Equipment are available.

Please call for specifications and prices.

\* CODES: S = Straight Bar FF = Flat Fold Bar FFD = Flat Fold Double Bar

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008

# TEBBEN Rotary Cutters

## LIGHT DUTY ECONOMY CUTTERS

40 HP Gearbox  
Category 4 PTO/540 RPM  
20" Spun Metal Stump Jumper Pan

Category I Flexible 3 Pt. Assembly  
Adjustable Rear Gauge Wheel/4 x 8 Laminated Wheel  
10 Gauge Formed Deck and Full Runner

MODEL NO.	DESCRIPTION	GEAR BOX	APPROX. WEIGHT	SUGGESTED LIST PRICE
TC07-40	40" Cutter, Light Duty	40 HP	400	\$ 1,128.00
TC07-400	48" Cutter, Light Duty	40 HP	420	\$ 1,178.00
TC07-500	60" Cutter, Light Duty	40 HP	560	\$ 1,243.00
TC07-600	72" Cutter, Light Duty	40 HP	610	\$ 1,453.00
TC96-400-P	48" Cutter, Pull Type Light Duty	40 HP	420	\$ 2,455.00
TC96-500-P	60" Cutter, Pull Type Light Duty	40 HP	560	\$ 2,589.00
TC96-600-P	72" Cutter, Pull Type Light Duty	40 HP	610	\$ 2,727.00

## MEDIUM DUTY CUTTERS

40 HP Gearbox  
Category 4 PTO/540 RPM  
20" Spun Metal Stump Jumper Pan

Category I Flexible 3 Pt. Assembly  
Adjustable Rear Gauge Wheel/4 x 8 Laminated Wheel  
11 Gauge Deck/Heavy 3/16 Side Panels

MODEL NO.	DESCRIPTION	GEAR BOX	APPROX. WEIGHT	SUGGESTED LIST PRICE
TC94-400	48" Cutter Medium Duty	40 HP	490	\$ 1,473.00
TC94-500	60" Cutter, Medium Duty	40 HP	570	\$ 1,492.00
TC94-600	72" Cutter, Medium Duty	40 HP	635	\$ 1,711.00

## HEAVY DUTY CUTTERS

75 HP Gearbox  
Category 5 PTO Slip Clutch/540 RPM  
20" Spun Metal Stump Jumper Pan  
Category I or II 3 Pt. Assembly

Adjustable Rear Gauge Wheel/4 x 8 Laminated Wheel  
11 Gauge Deck/Heavy 3/16 Side Panels/120" cutter has 10 gauge deck with 1/4" side panel  
84" and 120" cutters have 2 rear wheel assembly

MODEL NO.	DESCRIPTION	GEAR BOX	APPROX. WEIGHT	SUGGESTED LIST PRICE
TC94-500-MC	60" Cutter, Heavy Duty Sgl. Spindle	75 HP with Clutch	685	\$ 2,420.00
TC94-600-MC	72" Cutter, Heavy Duty Sgl. Spindle	75 HP with Clutch	725	\$ 2,658.00
TC94-700-MC	84" Cutter Heavy Duty Sgl. Spindle	75 HP with Clutch	1000	\$ 3,525.00

## HEAVY DUTY DOUBLE CUTTERS

MODEL NO.	DESCRIPTION	GEAR BOX	APPROX. WEIGHT	SUGGESTED LIST PRICE
TC96-800-MC	96" Cutter Heavy Duty Dbl. Spindle	120 HP Center/90HP Outer	1420	\$ 5,314.00
TC96-1000-MC	120" Cutter Heavy Duty Dbl. Spindle	120 HP Center/90HP Outer	1520	\$ 5,499.00
TC00-1000-MC-P	120" Cutter Heavy Duty Pull Type	120 HP Center/90 HP Outer	1827	\$ 7,843.00
TC00-PH-D	Pull Type Hitch for Double Cutter		462	\$ 3,387.00
TC00-PH-D-D	Pull Type Hitch for Double Cutter Deduct Parts not needed for 3 pt. Hitch		155 (Deduct)	\$11,350.00

## OPTIONAL EQUIPMENT

MODEL NO.	DESCRIPTION	SUGGESTED LIST PRICE
TC94-40FC	Front Chain Guard Assembly 40" Machine	\$ 126.00
TC94-40RC	Rear Chain Guard Assembly 40" Machine	\$ 116.00
TC94-4FC	Front Chain Guard Assembly 4' Machine	\$ 162.00
TC94-4RC	Rear Chain Guard Assembly 4' Machine	\$ 126.00
TC94-5FC	Front Chain Guard Assembly 5' Machine	\$ 195.00
TC94-5RC	Rear Chain Guard Assembly 5' Machine	\$ 126.00
TC94-6FC	Front Chain Guard Assembly 6' Machine	\$ 230.00
TC94-6RC	Rear Chain Guard Assembly 6' Machine	\$ 165.00
TC94-7FC	Front Chain Guard Assembly 7' Machine	\$ 272.00
TC94-7RC	Rear Chain Guard Assembly 7' Machine	\$ 226.00
TC96-8FC	Front Chain Guard Assembly 8' Machine	\$ 505.00
TC96-8RC	Rear Chain Guard Assembly 8' Machine	\$ 394.00
TC96-10FC	Front Chain Guard Assembly 10' Machine Double Cutter	\$ 539.00
TC96-10RC	Rear Chain Guard Assembly 10' Machine Double Cutter	\$ 416.00
TC94-LC	Clutch for Economy Cutters or Medium Duty Cutters	\$ 266.00
TC94-PH	Pull Type Hitch Package for 3 Pt. Cutter (Used on Medium or Heavy Duty Cutters 5' & 6' Machines Only)	\$1,612.00
TC96-PH	Pull Type Hitch Package for 3Pt. Cutter (Used on Economy Machines 4', 5' & 6' Machines Only)	\$1,248.00

For non agricultural use, OSHA, ASAE, SAE, and ANSI, standards REQUIRE the use of chain guards, deflectors, or solid skirt/bands at all times. TEBBEN ENTERPRISES also strongly recommends the use of one of these guarding systems for agricultural purposes as well as if there are persons, animals, roadways, or structures within 100 yards of the mowing operation.

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008

# TEBBEN 8' Variable Offset Rotary Cutter

## STANDARD EQUIPMENT

- |   |   |
|---|---|
| 1. 90 HP Triple Gear boxes and #5 PTO with Slip Clutch    | 5. Heavy 10 Gauge Deck with 1/4" Side Panels    |
| 2. Variable Offset Hitch Assembly with Cat I and II Hitch | 6. Rear Double Wheels Adjustable Widths         |
| 3. 20" Spun Metal Stump Jumper Pan                        | 7. Hydraulic Cylinder with Hoses for Side Shift |
| 4. 1/2 x 3 Free Swiging Blades                            |   |

MODEL NO.	DESCRIPTION	GEAR BOX	APPROX. WEIGHT	SUGGESTED LIST PRICE
TC94-800	Base 8' Machine Complete	120HP Center/90 HP Outer	1740	\$ 6,724.00

## --OPTIONAL EQUIPMENT--

TC94-HPC	3" x 8" Hydraulic Cylinder Package (Rear Tail Wheel Lift)		25	\$ 396.00
----------	---	--	----	-----------

# TEBBEN 3 Point Mower Finishing

## STANDARD EQUIPMENT

- |                              |                             |
|------------------------------|-----------------------------|
| 1. Floating 3-pt. Rear Hitch | 4. Quick Coupler PTO        |
| 2. Solid Wheels & Tires      | 5. 3 Hi-Lift Cutting Blades |
| 3. Greaseable Blade Spindle  | 6. Front Scuff Bar          |

MODEL NO.	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
TFM-720	72" 3 Spindle Finishing Mower Heavy Duty	635	\$ 2,175.00
TFM-900	90" 3 Spindle Finishing Mower Heavy Duty	850	\$ 2,995.00

## TEBBEN Engine DRIVEN Mowers

MODEL NO.	DESCRIPTION	SUGGESTED LIST PRICE
PEF-720	72" Pull Type Finish Mower Honda 16HP	\$2,983.00
PEC-400	48" Pull Type Rotary Cutter Honda 16HP	\$3,271.00

*For non agricultural use, OSHA, ASAE, SAE, and ANSI, standards REQUIRE the use of chain guards, deflectors, or solid skirt/bands at all times. TEBBEN ENTERPRISES also strongly recommends the use of one of these guarding systems for agricultural purposes as well as if there are persons, animals, roadways, or structures within 100 yards of the mowing operation.*

**- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008**

# TEBBEN Deep Till / Chisel Plow

## SINGLE RANK DEEP TILL - Mounted Only

### --STANDARD EQUIPMENT --

- Cat. II or III 3-point hitch.
- One reversible point per shank
- Jack stand
- Manual Gauge Wheels, 15" wheels, less tires (2 - 6.70x15 tires recommended)

MFG. NO.	DESCRIPTION	CUTTING WIDTH	WGT. LBS.	LIST PRICE
DT3S-30	3 Shank Single Rank Deep Till, 30"	7 1/2'	1038	\$4,589.00
DT5S-30	5 Shank Single Rank Deep Till, 30"	12 1/2'	1502	\$6,683.00
DT7S-30	7 Shank Single Rank Deep Till, 30"	17 1/2'	2078	\$9,694.00

## FRAME TYPE DEEP TILL - Mounted Only

(Pulls 5-15% easier than straight models)

### --STANDARD EQUIPMENT --

- Cat. III 3-point hitch.
- One reversible point per shank
- Jack stand
- Manual Gauge Wheels, 15" wheels, less tires (2 - 6.70x15 tires recommended)

MFG. NO.	DESCRIPTION	CUTTING WIDTH	WGT. LBS.	LIST PRICE
DT5M-30	5 Shank Frame Type Deep Till, 30"	12 1/2'	2208	\$7,719.00
DT7M-24	7 Shank Frame Type Deep Till with 24" spacing	14'	2880	\$9,910.00

## FRAME TYPE DEEP TILL / CHISEL PLOW - Mounted or Pull Type

### --STANDARD EQUIPMENT --

- Cat. III point hitch (pull hitch must be ordered separately -) see options below)
- One reversible point per shank
- Sequencing hydraulic cylinders (hoses to mast.)
- Jack stand
- Hydraulic Gauge Wheels - 15" wheels, less tires (9Lx15 tire recommended. 2 Wheels on DT5-30, DT7-15, DT11-15; 4 Wheels on DT7-30, DT9-30, DT13-15, DT15-15, DT17-15, DT19-15)

MFG. NO.	DESCRIPTION	CUTTING WIDTH	WGT. LBS.	LIST PRICE
DT5-30	5 Shank Frame Type Deep Till, 30"	12 1/2'	2562	\$ 9,393.00
DT7-30	7 Shank Frame Type Deep Till 30"	17 1/2'	3856	\$14,742.00
DT9-30	9 Shank Frame Type Deep Till, 30"	22 1/2'	4648	\$17,494.00
DT11-30	11 Shank Frame Type Deep Till, 30"	27 1/2'	5439	\$20,220.00
DT7-15	7 Shank Frame Type Deep Till, 15"	8'9"	2980	\$11,288.00
DT9-15	9 Shank Frame Type Deep Till, 15"	11'3"	3462	\$13,467.00
DT11-15	11 Shank Frame Type Deep Till 15"	13'9"	3952	\$15,553.00
DT13-15	13 Shank Frame Type Deep Till, 15"	16'3"	5346	\$21,106.00
DT15-15	15 Shank Frame Type Deep Till, 15"	18'9"	6073	\$20,595.00
DT17-15	17 Shank Frame Type Deep Till, 15"	21'3"	6563	\$25,783.00
DT19-15	19 Shank Frame Type Deep Till 15"	23'9"	6981	\$27,752.00

## ZONE TILL MACHINE

### --STANDARD EQUIPMENT --

- 5' x 7" Heavy Double Frame
- Cat II -III 3-Point
- Spring Loaded Coulter Assembly
- Automatic Reset Shank Assemblies
- Available in 22", 24" & 30" Spacings
- Six Bolt Manual Gauge Wheels

MFG. NO.	DESCRIPTION	CUTTING WIDTH	WGT. LBS.	LIST PRICE
DT3STC30	3 Shank 30" Machine	7 1/2'	2350	\$ 8,347.00
DT4STC30	4 Shank 30" Machine	10 1/2'	2775	\$ 9,132.00
DT5STC30	5 Shank 30" Machine	12 1/2'	3425	\$10,971.00
DT6STC30	6 Shank 30" Machine	15 1/2'	4095	\$12,334.00
DT7STC30	7 Shank 30" Machine	17 1/2'	4775	\$14,056.00
DT8STC30	8 Shank 30" Machine	20'	5455	\$16,785.00
TM76-ZTA	Zone Till Shank Assembly (Includes wear bar & point) (Min. 3 helper springs needed not included)		280	\$620.00
TM76-ZTL	Zone Till Shank Assembly In Lieu of Standard (Add Per Shank) Minimum 3 helper springs needed			\$211.00
TM76-ZTS	Zone Till Shovel		6	\$31.00
TM76-ZTWB	Zone Till Wear Bar		11	\$62.00

- ★ Zone Till Shank requires a minimum of 3 each helper leaf springs.
- ★ Additional leaves can be added for more down pressure.

## OPTIONAL EQUIPMENT

MFG. NO.	DESCRIPTION	WGT. LBS.	LIST PRICE
TM76-00-119	Pull Type Hitch with Jack Stand - for frame type deep till only w/hyd. gauge wheels	468	\$1,256.00
TM76-260	Bolt on Frame only to convert DT5S-30 to 24" spacing	600	\$2,241.00
TM76-249	Two Shank Add-on package to convert DT3-20 deep till from a 3 shank to a 5 shank deep till. Includes 2 - 30" ext. and 2 shanks complete. (Cannot be used to convert 5 shank to 7 shank deep till)	680	\$2,996.00
TM76-00-157	Set Back Extension - single rank only (allows for narrower shank spacing), each	58	\$ 360.00
TM76-00-79	12" Single Extension		\$ 112.00
TM76-248	Shank Assembly Complete	265	\$ 1,446.00
TM76-00-118	Helper Leaf Spring - for use in extremely hard ground, each	5	\$ 86.00
TM76-00-178	Coverboard - 1 per shank	8	\$ 62.00
TM76-197	Shank wear plate - cannot be used with coverboard	9	\$ 82.00
TM76-262A	Manual Gauge Wheel 6 Bolt Spindle / Hub / Arm & Rim (15x6x8) In lieu of Std. Need 2 per machine.		\$ 125.00
TSS81-27	9Lx15 Tire and Tube, each	27	\$ 170.00
TSS81-275B	Steel Belted 9Lx15 Tire & Tube	32	\$ 188.00
TSS81-28	6.70x15 Tire & Tube, each	20	\$ 155.00
TSS81-285B	Steel Belted 6.70x15 Tire & Tube	25	\$ 173.00
TM76-00-45	Old Style Point w/bolts & nuts (for 1978 and older machines)	8	\$ 90.00
TM76-00-160	Kverneland Reversible Point, for 1979-1984 machines Includes Standard Mtg Bolts & Nuts	8	\$ 68.00
TM76-00-176	Kverneland Flat Reversible Point w/nut, for 1985 & newer machines	8	\$ 79.00
TM76-00-1765	Kverneland Flat Reversible Point - Less Hardware for 1985 and Newer	8	\$ 66.00
TM76-270	Coverboard for IH & JD V Rippers	8	\$ 76.00
TM76-977	7" Lifter Point - Need 1 (TM76-00-199) Bolt not included	4	\$ 36.00
TM76-978	13" Lifter Point - Need 1 (TM76-00-199) Bolt not included	6	\$ 56.00

## SINGLE COULTER TRASH CUTTERS

**- STANDARD EQUIPMENT -**

1. Frame to bolt to front of 30" deep till only.
2. Center mast brace arms.
3. One 18" pivoting spring loaded coulter per shank.

MODEL NO	DESCRIPTION	WGT. LBS.	LIST PRICE
<b>TC81-00-103-SR-SC</b>	Trash Cutter for DT3S-30 Single Rank .....	689	\$ 3,187.00
<b>TC81-00-101-SR-SC</b>	Trash Cutter for DT5S-30 Single Rank .....	960	\$ 4,526.00
<b>TC81-00-101-DR-SC</b>	Trash Cutter for DT5-30 Frame Type.....	960	\$ 4,368.00
<b>TC81-00-105-SR-SC</b>	Trash Cutter for DT7S-30 Single Rank .....	1313	\$ 6,053.00
<b>TC81-00-105-DR-SC</b>	Trash Cutter for DT7-30 Frame Type.....	1313	\$ 6,053.00
<b>TC81-00-106-DR-SC</b>	Trash Cutter for DT9-30 Frame Type.....	1611	\$ 7,824.00
<b>TC81-00-107-DR-SC</b>	Trash Cutter for DT11-30 Frame Type.....	1881	\$ 9,606.00

## TEBBEN Disc Leveler

**- STANDARD EQUIPMENT -**

1. 2 -20" Serrated Discs with heavy duty hub assembly
2. Spring Loaded
3. Adapter brackets to fit IH & JD rippers

MFG. NO	DESCRIPTION	WGT. LBS.	LIST PRICE
<b>TC95-100</b>	Double Disc Leveler Assembly Fits Tebben Shank Assembly.....	150	\$ 662.00
<b>TC95-100-IHJD</b>	Double Disc Leveler Assembly fits JD, IH, or MW Shank Assembly .....	140	\$ 690.00
<b>TC95-100-TBM</b>	Double Disc Leveler Assembly fits 4 x 4 Square Tube .....	120	\$ 719.00
<b>TC95-200</b>	Pull Arm Assembly Complete with 4 x 8 Cylinder & Hoses.....	170	\$ 802.00
<b>TC95-200-LC</b>	Pull Arm Assembly Less 4 x 8 Cylinder.....	135	\$ 657.00
<b>TC95-300</b>	4 x 4 Square Tube Per Inch .....	1	\$ 3.00
<b>TC95-JSA</b>	Jack Stand Assembly for Disc Leveler Includes Bracket and Jack Stand.....	15	\$ 73.00

## TEBBEN RIDGE RIPPERS

**- STANDARD EQUIPMENT -**

1. Mounts to either single rank or frame type deep till.
2. 3" square tubing frame.
3. 1 1/4" x 2" x 26" rigid shank.
4. One reversible point per shank.
5. Optional spring loaded shank - call for price.

MFG. NO	DESCRIPTION	BAR LENGTH	LIST PRICE
<b>RR88-2-4</b>	4 Rigid Shanks for 3 shank deep till, 2 carrying arms .....	100"	\$ 1,416.00
<b>RR88-2-6</b>	6 Rigid Shanks for 5 shank deep till, 2 carrying arms .....	160"	\$ 1,904.00
<b>RR88-4-8</b>	8 Rigid Shank for 7 shank mounted deep till, 4 carrying arms.....	220"	\$ 3,016.00
<b>RR88-3-8</b>	8 Rigid Shanks for 7 shank pull type deep till, 3 carrying arms.....	220"	\$ 2,864.00
<b>RR88-4-10</b>	10 Rigid Shanks for 9 shank pull type deep till, 4 carrying arms .....	2-140"	\$ 3,506.00

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN    OCTOBER 1, 2008

# TEBBEN Conservtill Cultivator

## STANDARD EQUIPMENT

1. 7"x7"x1/4" Tool Bars on all sizes.
2. 4" x16" semi-pneumatic gang gauge wheel (1 per gang).
3. 3/16"x18" stabilizer/cutter with lead adjustment.
4. 14" disc hillers, 2 on inner gangs, 1 on outer gangs.
5. Cat. I or III 3-point hitch
6. Swing-away or quick removable disc hillers.
7. 2"x5" parallel arms with non-greaseable bronze bushing.
8. Weight transfer springs.
9. Rear shank - 1 1/4" x 2"x26".
10. Double spring protection on both shank and stabilizer on spring trip gangs only.
11. Shovel sizes - 30" rows - 16" sweep  
36-40" rows - 22" sweep
12. Shovel type - tapered wing style, 50 degrees.
13. Cylinder and hoses to center mast standard on all folding bars.

## SPRING TRIP CULTIVATOR

MODEL NO.	ROWS	ROW SPACING	SWEEP SIZE	NO. GANGS	BAR SIZE	WGT. LBS.	LIST PRICE
<b>STRAIGHT BEAM</b>							
CT84-4-3640	4	36-40"	22"	5	172"	24-6	\$ 7,926.00
CT84-6-30	6	30"	16"	7	192"	306	\$10,802.00
CT84-6-3640	6	36-40"	22"	7	250"	3416	\$11,095.00
CT84-8-30	8	30"	16"	9	250"	4234	\$13,786.00
CT84-8-3640	8	36-40"	22"	9	330"	4386	\$14,091.00
<b>FLAT FOLD MODELS (Includes Hyd. Cyl. and Hoses to Center Mast)</b>							
CT84-6-3640-FF	6	36-40"	22"	7	130"C, 2-60"W	3744	\$13,978.00
CT84-8-30-FF	8	30"	16"	8	149"C, 2-54"W	4594	\$16,691.00
CT84-8-3640-FF	8	36-40"	22"	9	186"C, 2-71"W	4741	\$16,983.00
CT84-12-30-FF	12	30"	16"	13	209"C, 2-82"W	6453	\$23,315.00
CT84-12-40"-FF	12	36-40"	22"	13	278"C, 2-110"W	7284	\$24,532.00

## RIGID SHANK CULTIVATOR

MODEL NO.	ROWS	ROW SPACING	SWEEP SIZE	NO. GANGS	BAR SIZE	WGT. LBS.	LIST PRICE
<b>STRAIGHT BEAM</b>							
CTR86-4-3640	4	36-40"	22"	5	172"	2226	\$ 7,053.00
CTR86-6-30	6	30"	16"	7	192"	3054	\$ 9,744.00
CTR86-6-3640	6	36-40"	22"	7	250"	3164	\$10,055.00
CTR86-8-30	8	30"	16"	9	250"	3910	\$12,445.00
CTR86-8-3640	8	36-40"	22"	9	330"	4062	\$12,845.00
<b>FLAT FOLD MODELS (Includes Hyd. Cyl. and Hoses to Center Mast)</b>							
CT86-6-3640-FF	6	36-40"	22"	7	130"C, 2-60"W	3492	\$12,946.00
CTR86-8-30-FF	8	30"	16"	9	149"C, 2-54"W	4270	\$15,306.00
CTR86-8-3640-FF	8	36-40"	22"	9	186"C, 2-71"W	4417	\$15,606.00
CTR86-12-30-FF	12	30"	16"	13	209"C, 2-82"W	5985	\$21,345.00
CTR86-12-40-FF	12	36-40"	23"	13	278"C, 2-110"W	6816	\$22,542.00

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008

# TEBBEN Conservtill Cultivator

## OPTIONAL EQUIPMENT

MODEL NO	DESCRIPTION	WGT. LBS.	LIST PRICE
CT84-1	Ridger (with bolt and nut) .....	10	\$ 41.00
CT84-1-R	Right Hand Ridger (with bolt and nut) .....	10	\$ 36.00
CT84-1-L	Left Hand Ridger (with bolt and nut).....	10	\$ 36.00
CT84-42	Anhydrous Hitch .....	149	\$ 450.00
CT84-18	Lift Assist Wheel Assembly (with 4x8 cyl., less hoses; with 15" rim, less tire) .....	633	\$2,084.00
TSS81-27	Tire 9L x 15 (8-ply) .....	27	\$ 121.00
CT84-104	Weight Transfer Spring - Per Gang.....	3	\$ 24.00
CT95-80	Cutaway Assembly / 2 Cutaways & Brkts / Per Gang Deduct.....		\$ 310.00
CT95-1002C	3 Piece Single Sweep Assembly in lieu of Standard Chisel Shank.....		\$ 241.00
CT95-100	3 Piece Single Sweep Assembly Complete .....		\$ 487.00

## OPTIONAL SHIELD PACKAGES

MODEL NO	DESCRIPTION	NO. SHIELDS	NO. MOUNTING BRACKETS	WGT. LBS.	LIST PRICE
<b>TALL CROP SHIELD PACKAGED (One for Each Gang)</b>					
CT84-500-85-4	Tall Crop Shield Package - 4 Row	5	0	405	\$ 733.00
CT84-500-85-6	Tall Crop Shield Package - 6 Row	7	0	567	\$ 1,020.00
CT84-500-85-8	Tall Crop Shield Package - 8 Row	9	0	729	\$ 1,313.00
CT84-500-85-12	Tall Crop Shield Package - 12 Row	13	0	1053	\$ 1,892.00

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER1, 2007

# TEBBEN Trac Removers

## FOLDING TRAC REMOVERS

MFG. NO.	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
TR-83-00-SW-DW-F	Dual Wheel Folding Trac Remover (12 1/2' Total Frame Width) .....	401	\$ 1,507.00
TR-83-00-SW-F	Single Wheel Folding Trac Remover (7 1/2' Total Frame Width) .....	294	\$ 1,069.00
TR-78-00-DW	Dual Wheel Extension - To Convert Single Wheel to a Dual Wheel Unit .....	107	\$ 435.00
TR-83-00-GGC-F	Center Framework w/Drawbar, Includes 5 Danish Tines .....	125	\$ 435.00
TR83-80	Stub Extension - 1 Pair, Moves Tine In For Narrow Tire Spacing .....	17	\$ 52.00
TR83-30	4" taller Danish Tine than Standard Tine gives added clearance for hitch area .....		\$ 41.00
TR83-30-L	4" taller Danish Tine in lieu of Standard Tine per piece .....		\$ 23.00
TR83-35	Draw bar cable mounting bracket 12"/needed if more room required in draw bar area.....		\$ 23.00

# TEBBEN Yard Leveler

MFG. NO.	REPAIR PARTS DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
YL83-6	6' Yard leveler with floating CAT. II 3 point.....	325	\$1,182.00
YL07-8	8' Yard leveler with floating CAT. II 3 point .....		\$1,624.00
YL07	CAT I Conversion Kit .....		\$52.00

# TEBBEN Heavy Duty IH 3 Point Conversion Items

## CONVERSION TONGS

MODEL NO.	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE
43-100	Cat. 2 High Lift Tongs .....	.66	\$ 359.00
43-200	Cat. 2 Standard Lift Tongs .....	.55	\$ 258.00
43-300	Cat. 1 Standard Lift Tongs .....	.55	\$ 257.00

## TOP LINKS

NO.	FITS	APPROX. WEIGHT	SUGGESTED LIST PRICE
43-400	IH 656-666, 4 Hole .....	14	\$ 166.00
43-500	IH 706, 806, 6 Hole .....	25	\$ 227.00
43-600	IH 460-560 .....	13	\$ 145.00

## REPAIR PARTS

NO.	DESCRIPTION	SUGGESTED LIST PRICE
43-150	Pin.....	\$ 4.00
43-140	Spring .....	\$ 17.00
43-130	Latch.....	\$ 36.00
43-125A	Top Block Assembly Complete .....	\$ 65.00

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008

CLARA CITY, MINNESOTA 56222 PHONE (320) 847-2200

# TEBBEN Shields

## FLIP-UP ROLLING CULTIVAOTR SHIELD

MODEL NO	DESCRIPTION	WGT.	LIST
		LBS.	PRICE
710-F	Formed Rolling Shield, Per Row	30	\$ 134.00
1700	16" Single Rolling Shield .....		\$ 91.00
1750	22" Single Rolling Shield .....		\$ 107.00
1755	22" Double Rolling Shield Mounts to 2" Square Tube Not Included.....	40	\$ 187.00
790-T	Roller Tunnel Shield Extension, Each (Bolts to No. 710-F Shield) 26" Long .....	8	\$ 43.00
770	Offset Bracket for 710-F Shield Only. Used to Mount Shield .....		
	Under Hinge or 3 Pt. Hitch. Includes 1 RH and 1 LH Bracket .....	20	\$ 63.00
775	2' Center Tube for 710-F Shield for Longer Reach .....		\$ 16.00
776	Chain clevis adjustable bracket to hold shield off the ground .....	3	\$ 21.00

MFG. NO	DESCRIPTION	WGT.	LIST
		LBS.	PRICE
810-T	48" Flip-Up Tunnel Shield .....	50	\$ 170.00
801T-2	12" Shield Extension, Bolts to Rear of Tunnel Shield .....	4	\$ 23.00

MFG. NO	DESCRIPTION	WGT.	LIST
		LBS.	PRICE
900-F	Speed Leveler Shield w/Bracket (Attaches to Rear "C" Tine, Danish Tine or T Tine).....	22	\$ 97.00
900-FY	Yellow Speed Leveler Shield w/Bracket .....	22	\$ 106.00

MFG. NO.	DESCRIPTION	WGT.	LIST
		LBS.	PRICE
1400	Open Top Shield Complete Per Row 60" Long Tool Bar Mount .....	88	\$ 276.00
1500	Open Top/Gang Mount Per Row 60" (order Mounting Bracket needed below) .....	84	\$ 126.00
1505	Tebben Bracket Mtg. for 1500 open top (Need 1 per gang) .....	6	\$ 33.00
1510	IH 183 Bracket for 1500 open top (need 1 per gang) .....	6	\$ 33.00
1515	JD 875 Bracket for 1500 open top (need 1 per gang) .....	6	\$ 33.00
1856	JD 856 Bracket for 1500 Open Top (need 1 per gang) .....	8	\$ 49.00

MFG. NO.	DESCRIPTION	WGT.	LIST
		LBS.	PRICE
500-85	Tall Crop Shield - For Use on Conservtill Cultivator - Order 1 Per Gang .....	81	\$ 240.00
G-100	Glencoe Mounting Bracket for 500-85 Shield .....	8	\$ 38.00
N-100	Noble Mounting Bracket for 500-85 Shield .....	8	\$ 38.00

MFG. NO.	DESCRIPTION	WGT.	LIST
		LBS.	PRICE
722	"Z" Offset Bracket (Used to Mount Shield Behind Hinge or 3 Pt. Hitch) .....	4	\$ 31.00
	Includes One LH and One RH Bracket		
723	Mounting for "4" Diamond Bar (Front & Back) for 1 Row .....	3	\$ 31.00
JD875-1	Long Mounting Adapter for Tunnel Shields when bar height exceeds 30" .....	16	\$ 25.00
	Moves Mounting Point of Shield Back 13" and Down 8". Order 1 Per Row.		
JD785-2	Short Mounting Adapter - for open top shield when bar height exceeds 30" .....		\$ 16.00

**- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008**

# TEBBEN INVERT-ALL

Model #4200

**TEBBEN INVERT-ALL:** Designed to gently pick up a windrow of hay or grain, invert the windrow and lay it back down on dry ground without loss of leaves or grain. This machine is hydraulically driven and requires no PTO to operate.

## -STANDARD EQUIPMENT-

- Two hydraulic motors, independently controlled, are used to control pickup speed and cross conveyor speed in relationship to ground travel and size of windrow.
- Minimum of 12 GPM required for adequate performance.
- 72" spring loaded aluminum pickup
- Adjustable gauge wheels on pickup assembly
- Adjustable height control hitch
- Rear flow control inverting rods for windy conditions
- Adjustable windguard over pickup for even flow
- New 6:70 x 15 tires and tubes on 5 bolt spindle & hub assembly
- Single lever cross conveyor belt tightener
- Single lever to raise pickup for transportation

## -SPECIFICATIONS-

Height . . . . .	38"	Transport Width . . . . .	10'5"
Length . . . . .	14'3"	Weight . . . . .	1450 lbs.
Operating Speed. . . . .		3-10 mph	

#4200 Tebben Invert-All Base Machine with Rubber Belts . . . . .	<b>\$6238</b>
#4200F Tebben Invert-All Base Machine less rear discharge . . . . .	<b>\$4983</b>

## -OPTIONAL EQUIPMENT-

<b>42-RBA</b>	Rubber Pic Up Belt assembly for Complete machine (4 belts) in lieu of aluminum belts Add to base price. . . . .	<b>\$593</b>
<b>42-EFC</b>	Electronic Flow Control lets you adjust speed of machine from the tractor . . . (requires 12 volt connection, add to base price) . . . . .	<b>\$898</b>

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008

# TEBBEN Clear Vision Dust Vacuum

## --BENEFITS--

1. Diverts feederhouse dust away from windows and cab
2. Hinged to provide easy access to feederhouse chain
3. Greatly improves operator vision and safety
4. Electronically operated (Low power requirement/16 amps/2435 RPM)
5. Easy to install and operate
6. Designed to fit in with the look of your combine

MODEL NO	LENGHT	FITS	APPROX. WEIGHT	PRICE
48-100	36" Standard Package	440-4200	96	\$ 1,428.00
48-200	44 Standard Package plus 8" Extension	6600/6620/9400/9500	110	\$ 1,474.00
48-300	56" Standard Package plus 20" Extension	7700/7720/9600/8820	120	\$ 1,520.00
48-400L	10" Flexible Hose x 5' in lieu of standard steel elbow/needed on side hill and on a 20 Series Combine			\$ 147.00
48-400	10' Flexible Hose x 5' complete/needed on side hill and on a 20 Series Combine			\$ 213.00

## OPTIONAL EQUIPMENT NEEDED TO EXTEND STANDARD PACKAGE

MODEL NO	ITEM	PRICE
48-210	8" Extension .....	\$68.00
48-310	20" Extension .....	\$112.00
48-129	Spacer Plate for 7720/8820 Combine.....	\$ 0.00
48-150	Steel Elbow.....	\$118.00
48-308	End Plate (Needed when only using main unit).....	

## OPTIONAL EQUIPMENT NEEDED TO EXTEND STANDARD PACKAGE

MODEL NO	ITEM	PRICE
48-100E	36" Dust Vac with Flexible Hose Assembly .....	\$1,552.00
48-200E	44" Dust Vac with Flexible Hose Assembly .....	\$1,598.00
48-300E	56" Dust Vac with Flexible Hose Assembly .....	\$1,642.00

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN    OCTOBER1, 2008

# TEBBEN 3 Point Mounted Forklift

## --STANDARD EQUIPMENT --

- |   |  |
|---|--|
| <ol style="list-style-type: none"> <li>1. Fits cat. II three point hitch tractors</li> <li>2. Solid 1 1/2" x 4" x 46" teeth are adjustable from 20" to 48" spacing</li> <li>3. Heavy duty greasable rollers provide smooth lifting</li> </ol> | <ol style="list-style-type: none"> <li>4. 2 1/2" x 42" cylinder raises forks to approximately 70" with 3 point fully raised. (varies with tractor)</li> <li>5. Maximum lift capacity is 4000 pounds</li> <li>6. Attaches to tractor easily and stands by itself when not in use</li> </ol> |
|---|--|

MODEL NO.	DESCRIPTION	WGT. LBS.	LIST PRICE
TFL-2500-70	MAST TYPE FORKLIFT (70" Lift Height Approximate) .....	625	\$2,186.00
TFL-2500-94	MAST TYPE FORKLIFT (94" Lift Height Approximate) .....	705	\$2,593.00

## --OPTIONAL EQUIPMENT--

MODEL NO	DESCRIPTION	WGT. LBS.	LIST PRICE
TFL-2501	Back guard attaches to main unit to prevent material from shifting towards tractor .....	35	\$ 129.00
TFL-2502	Adaptor brkts. to convert standard 4x8 cylinder to use as top link when tilt is required .....	5	\$ 54.00
TFL-2503-70	Hydraulic hose assembly less tips for 70" Forklift .....	5	\$ 84.00
TFL-2503-94	Hydraulic hose assembly less tips for 94" Forklift .....	6	\$ 112.00
TFL-2510	Top Link Cylinder 3" x 10" 21 1/4" Closed Pin to Pin .....	40	\$ 362.00
TFL-2510TL	Hydraulic hoses for Top Link Cylinder .....	10	\$ 70.00

# TEBBEN Skid Steer Fork Attachment

MODEL NO	DESCRIPTION	WGT. LBS.	LIST PRICE
TSS-3500-HD	Skid steer mounted forklift, heavy duty (1 1/2 x 4 forks, 46" useable fork; ..... 2000-4000 pound capacity, universal mtg. bracket, standard back guard included	395	\$1,156.00
TSS-3500-MB	Mounting Bracket Deduct .....		\$ 114.00
TSS-3500-TL	Tractor Loader Fork Assembly Complete .....	545	\$1,549.00
TSS-3500-TL-LB	Tractor Loader Fork Assembly less Mtg. Brkts. & Bolts .....	505	\$1,359.00
TSS-UMP	Universal Mounting Plate .....	38	\$ 203.00

# TEBBEN Snow Buckets

MODEL NO	DESCRIPTION	WGT. LBS.	LIST PRICE
TC96-SB72	72" Bucket .....		\$ 947.00
TC96-SB78	78" Bucket .....	470	\$1,012.00
TC96-SB84	84" Bucket .....		\$1,092.00
TC96-SB96	96" Bucket .....		\$1,217.00

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008

# TEBBEN PIK-RITE™

*The world's simplest machine featuring one moving part...  
No hydraulics, a quick, simple multiple tool for agriculture,  
industrial, commercial, or landscaping.*

## Standard Equipment & Specifications

- Universal quick tach mounting bracket
- Heavy 1/4" thick bucket material
- 1/2 x 3 cutting blade
- 1 1/4" diameter replaceable teeth
- Upper rock guard
- Bolt on picking attachment

<b>Model No.</b>	<b>Description</b>	<b>Weight Pounds</b>	<b>Suggested List Price</b>
PR6000	.....60" PIKRITE (Bucket, PikRite Attachment, Upper Guard)	....806	.....\$2,254.00
PR7200	.....72" PIKRITE (Bucket, PikRite Attachment, Upper Guard)	....864	.....\$2,480.00

### Optional Equipment or Parts

PR1100	.....PIKRITE Attachment & Upper Rock Guard	.....370	.....\$1,389.00
PR12	.....1 1/4" x 24" Tooth Only	.....8	.....\$16.00

# TEBBEN QUICKCHANGE 2000

**TEBBEN QUICKCHANGE 2000:** Designed to couple or uncouple your attachments without leaving the seat. This machine works of auxiliary hydraulics. Advantages to the hydraulic coupler are speed, less steps to change attachments and safety.

## -STANDARD FEATURES-

- Down Pressure Springs assure locked position.
- Flag indicators notify operator when in unlocked position.
- Electric over hydraulic valve.
- Electric switch and hydraulic control are both needed to unhook attachment.
- Fits the Universal mounting bracket system.
- Hydraulic connector between the coupler gives you use of hydraulic controlled attachments without unhooking the Quickchange 2000.
- Uses only 2 3/4 inches of space.

## -SPECIFICATIONS-

Height . . . . . 18.5"      Depth . . . . . 5"  
 Length . . . . . 45.5"      Weight . . . . . 199 lbs.  
 Electrical . . . . . 12 Volts      Cylinders - 2 1 1/2" bore x 2 1/8" tall

Suggested Part Number	Description	Weight	List Price
QC2000	Quickchange Attachment 40 HP or smaller	199 lb.	\$1,599.00
QC2000HD	Heavy Duty Quickchange Base Unit 40 HP or bigger	203 lb.	\$1,772.00
QC00-2040	3/8"x 54" Hose Assembly (2 pcs.), Standard with Unit	5 lb. ea.	\$000.00
QC00-2050	3/8"x 60" Hose Assembly (2 pcs.)	5 lb. ea.	\$000.00
QC00-2060	3/8"x 72" Hose Assembly (2 pcs.)	5 lb. ea.	\$000.00
QC00-2100	1 - Pair of Flat Face Male & Female Couplers, (Big) includes fittings for connecting directly to loader couplers	13 lb.	\$195.00
QC00-2105	2 - Pair of Flat Face Male & Female Couplers (Small) includes fittings (Aux. connector adaptors must be used)	13 lb.	\$144.00
QC00-2150	Auxillary Connector Adaptors, #10 O-Ring (2 pcs.) Bobcat Older	6 lb.	\$115.00
QC00-2155	Auxillary Connector Adaptors, #12 O-Ring (2 pcs.) Bobcat Newer	6 lb.	\$115.00
QC00-2160	Auxillary Connector Adaptors, #10 37" JIC (2 pcs.) New Holland/John Deere Older/Gehl	6 lb.	\$108.00
QC00-2165	Auxillary Connector Adaptors, #10 Flat Face 37" JIC (2 pcs.) John Deere Newer	6 lb.	\$149.00
QC00-2170	Auxillary Connector Adaptor, #12 Flat Face (2 pcs.) John Deere Newer	6 lb.	\$149.00

NOTE: Use of Quickchange 2000 will reduce the loaders capacity. Consult the Quickchange 2000 Operation Manual for more information.

- SPECIFICATIONS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE -  
 ALL PRICES FOB CLARA CITY, MN OCTOBER 1, 2008

# TEBBEN E-Z ROLL™

*Once installed in your Pickup, the E-Z ROLL will provide instant access to tools and materials without having to crawl in and out of your truck. It allows you to easily position materials inside your vehicle for maximum loadability. The E-Z ROLL is perfect for pickups with a box cap or cover.*

## Standard Equipment & Specifications

- Two sizes available for either full-size or short bed pickups.
- Flip down adjustable legs standard for added support.
- Uses only five inches of available box depth.
- Install directly to truck bed with all necessary hardware included.
- Locks in and out with spring loaded pin.
- Rails are mounted on heavy-duty ball bearing rollers.
- Total load capacity of 800 pounds with weight evenly distributed.
- Decking material not included - 1/2" plywood is recommended.
- 1 year warranty.

<b>Model No.</b>	<b>Description</b>	<b>Weight Pounds</b>	<b>Suggested List Price</b>
TER9600	.....96" UNIT	.....190	.....\$695.00
TER7700	.....70" UNIT	.....180	.....\$615.00